WATE	R WE	LL RECORD	Form W	WC-5	Div	ision of Wate	r Resources App. N	ю	
1 LOCATION OF WATER WELL:			Fraction				Township No. T 21 S	Range Number	
County: Stafford Street/Rural Address of Well Location;			1/4 SE 1/4 NE			4	R 13 □E ☑W		
					Global Positioning System (GPS) information: Latitude:				
from nearest town or intersection: If at owner's address, check here						Longitude: (in decimal degrees)			
2 1/2L, 014 01 Seward, 110						Elevation:			
2 WATER WELL OWNER: Ryan Fanshier						Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: Ryan Fanshier RR#, Street Address, Box #: 285 S. US Hwy 281						Collection Method: GPS unit (Make/Model:)			
		ZID C 1	end, KS 67530		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
		Oleat D	end, 100 07 000	Est. Ac	Est. Accuracy:				
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 106 ft.									
	TION BOX: Depth(s) Groundwater Encountered (1).33 ft. (2) ft. (3)								
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1).33								
Pump test data: Well water wasft. after hours pumping								pinggpm	
NI	N N	EST. YIELD. 60	gpm. Well water wasft. after hours pumping gpm						
w	, , , ,	E Bore Hole Diam	eterin. to <u></u>	er					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
SW SE Domestic									
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well								
	S If yes, mo/day/yr sample was submitted								
mile Water well disinfected?									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: M Glued Clamped Welded Threaded									
Casing diameter .5 in. to .66 ft., Diameter .5 in. to .96 ft., Diameter in. to ft.									
Casing height above land surface in., Weightlbs./ft., Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From 66 ft. to 76 ft., From 96 ft. to 106 ft.									
From									
GRAVEL PACK INTERVALS: From 23 ft. to 80 ft., From 84 ft. to 106 ft.									
From									
Grout Intervals: From .0									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)									
	Sewer lin	nes		☐ Fuel storaş ☐ Fertilizer s	ge L	Abandoned Oil well/ga	water well		
Direc	waterug	n well Northeast	it Treedyard [***************************************	
FROM	TO	LITHOLOG	IC LOG	FROM	TO			IGGING INTERVALS	
0	4	top sand	· · · · · · · · · · · · · · · · · · ·						
4	63	clay							
63	76	sand and gravel							
76	93	fine sandy clay							
93	106	sand and gravel							
					-				
						40			
					-		***		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .03/1.2/1.5 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 186 This Water Well Record was completed on (mo/day/year) 03/16/15									
under th	e busine	ss name ofKelly's Wate	r Well Service, Inc.		by (sig	gnature) . : //	athum 6	L Boad	
INSTRUC	CTIONS:	Use typewriter or ball point pen.	PLEASE PRESS FIRMLY	and <u>PRINT</u> cl	early. Pleas	se fill in blanks	and check the correct	answers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									

http://www.kdheks.gov/waterwell/index.html