WATER WELL RECORD			Form W	/WC-5	D	ivision of Water	r Resources App. No	0.	
	1 LOCATION OF WATER WELL: County: Stafford		Fraction 1/4 SW 1/4 SV	N ¼ NW ½	Secti	ion Number 24	Township No. T 21 S	Range Number R 13 □E ☑W	
Street/Rural Address of Well Location; if unknown, distance & direction							System (GPS) in	<u> </u>	
	from nearest town or intersection: If at owner's address, check here .						Latitude: .38.21.128 (in decimal degrees)		
2 North, 4 1/4 East of Seward						Longitude: 098.71031 (in decimal degrees)			
2 WATER WELL OWNER: Leo Hall						Elevation:			
Loo Hall						Collection Method:			
City State ZID Code					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
		Gleat D	end, KS 67530			Est. Accuracy: $\square$ <3 m, $\square$ 3-5 m, $\square$ 5-15 m, $\square$ >15 m			
3 LOCATE WELL									
	H AN "X" IN 4 DEPTH OF COMPLETED WELL 78 ft.  FION BOX: Depth(s) Groundwater Encountered (1) ft (2) ft (3) ft								
SEC	N N	BOX: Depth(s) Groundwater Encountered (1)							
	WELL 3 STATIC WATER LEVEL								
	Pump test data: Well water was								
	W Some Hole Diameter 10. Well water was								
WX									
S	-SW - SE -   Domestic								
Was a chemical/bacteriological sample submitted to Department? Yes V No									
S If yes, mo/day/yr sample was submitted									
	mile  Water well disinfected? ✓ Yes ☐ No								
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded									
Casing diameter .5									
Casing height above land surface 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From 78 ft. to 58 ft., From ft. to ft.									
Fromft to ft From ft to ft								ro ft	
GRAVEL PACK INTERVALS: From ft. to						ft., From	ft. 1	to ft.	
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other									
	ntervals:	From ft. to	ft., Fron	n .4.V	ft. to	/ ft.,	From	. ft. toft.	
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well							er (specify below)		
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage									
Direc	ction from	11 \Moet						••••••	
FROM	TO	LITHOLOGI		FROM	TO			GGING INTERVALS	
0	5	Sandy top soil							
5	22	Sandy tan & gray clay							
22	29	Sand							
29	38	Tan clay							
38	78	Sand & gravel- small to	med						
					····				
				<b> </b>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ✓ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .6-5-15									
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 6-15-15									
under the business name of Rosencrantz- Bemis Ent Inc by (signature)									
INSTRUC	CTIONS:	Use typewriter or ball point pen.	PLEASE PRESS FIRMI	Yand PRINT of	Dy (S	agnature)	and check the correct	new Sendan	
	Kansas De	partment of Health and Environm	ent, Bureau of Water, Geo	logy Section 1	000 SW T	ackson St. Suite	420 Toneka Kancac	66612-1367	
1 elephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									