WATE	R WEI	LL RECORD	Form W	WC-5	Division of Wate	er Resources App. No	<sub>)</sub> .		
		OF WATER WELL:	Fraction		Section Number	Township No.	Range Number		
	ity: Sta		SE 1/4 SW 1/4 SE	1/4 SW 1/4	31	T 21 S		₹W	
Stree	t/Rural /	Address of Well Location;	Global Positioning System (GPS) information:						
from nearest town or intersection: If at owner's address, check here				Latitude: .38.17469 (in decimal degrees) Longitude: 98.79687 (in decimal degrees)					
J&R Service - 1st Street, Seward, KS					Elevation: 1912.86				
A VIII TERRA VIEW A CANADA					<u>Datum</u> : ☐ WGS 84, <b>☑</b> NAD 83, ☐ NAD 27				
2 WATER WELL OWNER: KDHE - BER					Collection Method:				
RR#, Street Address, Box #: 1000 SW Jackson. Suite 410 City, State, ZIP Code : Topeke KS 88812-1387					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City	, State, Z	Topeka.	KS 66612-1367						
Est. Accuracy:									
	H AN "X								
SEC	rion BC N								
l —	WELL S STATIC WATER LEVELt. below land surface measured on mo/day/y1								
Pump test data: Well water was ft. after hours pumping gpm EST. YIELD gpm. Well water was ft. after hours pumping gpm									
	W - NW NE -   EST. FIELD								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
SW SF Domestic Feedlot Oil field water supply Dewatering Other (Specify below)									
Irrigation Industrial Domestic-lawn & garden Monitoring well Air Sparce									
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No									
S If yes, mo/day/yr sample was submitted									
Water West distincted									
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter 2									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:  ☐ Steel ☐ Stainless Steel ✔ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)									
From									
GRAVEL PACK INTERVALS: From 27.5 ft. to .32 ft., From ft. to ft.									
From									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout									
Grout Intervals: From .3 ft. to .27.5 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well								<del>)</del>	
		nes							
		n well			rom well				
FROM	TO	LITHOLOG		FROM		OG (cont.) or PLU			
0	6"	Topsoil							
6"	8	sand, silty / SP							
8	11	clay, sandy / CL			ASW9				
11	16	sand / SP							
16	18	clay, sandy /CL							
18	32	clay / CH							
								****	
					-				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .11/12/15 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on the local year 322/16									
under th	e busine	ss name of Coranco Gre	eat Plains, Inc		by (signature)	KING!	<b>/</b>		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the offect answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
		5-5524 Send one copy to WATE							

http://www.kdbeks.gov/waterwell/index.html