				WAT	ER WELL RECO	RD Fo	orm WWC-	KSA 82	a-1212			
1 LOCATIO		TER WE	LL:	Fraction			Sec	ction Numbe	1		Range Number	
County: St					4 SE 1/4	NE	1/4	24	∫ т 21	S	R 13₩ E/W	
<del></del>				-	address of well if	f located v	vithin city?					
	4 E o											
_	WELL OW				Big Sp							
RR#, St. Ad			St.	John, Kan	sas Box 82	287, M	ınger S	tation	Board of Agri	culture, D	Division of Water Resources	
City, State,			6757	<u>'6</u>		Wic	hita, 1	Ks. 6720	Application N	umber:	Unknown	
LOCATE	WELL'S L	OCATIO	N WITH									
AN A II	N SECTIO	N BOX:	[	Depth(s) Groun	dwater Encounte	red 1. 2	20	ft.	2	ft. 3.	, <b></b> ,	
Ī	!	1		WELL'S STATE	C WATER LEVE	L	20. ft. t	elow land st	urface measured on m	o/day/yr	11/15/82	
l L.	- NW	NE		Pur	np test data: We	ell water v	vas	ft.	after	ours pur	mping gpm	
-	1			Est. Yield60	D gpm: Wo	ell water v	vas	ft.	after	ours pur	mping gpm	
<sub>≝</sub> w ⊢	i	_	_X _	Bore Hole Dian	neter8	.in. to . &	30	ft.,	and	in.	toft.	
. w		1	7 1	WELL WATER	TO BE USED AS	S: 5	Public water	er supply	8 Air conditioning	11	Injection well	
7	- SW	1 SE	1 1	1 Domestic	c 3 Feedlo	t 6	Oil field wa	ter supply	9 Dewatering	12 (	Other (Specify below)	
	- 5W	35		2 Irrigation	4 Industr	ial 7	Lawn and	garden only				
	i	i	1 1	Was a chemica	l/bacteriological s						mo/day/yr sample was sub	
		5		mitted				W	ater Well Disinfected?	Yes	No	
TYPE OF	BLANK (	CASING	USED:		5 Wrought iro	n	8 Concr	ete tile	CASING JOINT	S: Glued	Clamped	
1 Stee	əl	3	RMP (SF		6 Asbestos-Ce	ement	9 Other	(specify belo	ow)	Welde	• ed	
2 PVC			ABS		7 Fiberglass					Threa	ded	
Blank casing	g diameter	5.		.in. to	ft., Dia .		in. to		ft., Dia	i	n. to ft.	
Casing heigh	ht above la	and surfa	ace	12	in., weight	2,8	<u>}</u>	Ibs	./ft. Wall thickness or	gauge No	Sch. 40	
TYPE OF S	CREEN O	R PERF	ORATION	N MATERIAL:			7 PV	C	10 Asbest	os-ceme	nt	
1 Stee	əl	3	Stainless	s steel	5 Fiberglass		, 8 RN	IP (SR)	11 Other	(specify)		
2 Bras	ss	4	Galvaniz	ed steel	6 Concrete tile		* 9 AB	S	12 None	used (ope	en hole)	
SCREEN O	R PERFO	RATION	OPENIN	GS ARE:	5	Gauzed	wrapped		8 Saw cut		11 None (open hole)	
1 Cont	tinuous slo	ot	3 Mi	ill slot	6	Wire wra	apped		9 Drilled holes			
2 Louv	vered shut	ter	4 Ke	ey punched		Torch cu						
SCREEN-PE	ERFORATI	ED INTE	RVALS:	From		t. to		ft., Fro	om	ft. tc	o	
				From								
GF	RAVEL PA	CK INTE	RVALS:	From	10	t. to 80		ft., Fro	om	ft. to	o	
				From		t. to		ft., Fro			tt.	
GROUT	MATERIAL	:	1 Neat c	ement	2 Cement ground	t	3 Bento	onite 4	Other			
Grout Interva	als: Fro	m	0	ft. to .10	ft., From		ft.	to	ft., From		. ft. to	
What is the	nearest so	ource of	possible	contamination:				10 Live	stock pens	14 At	andoned water well	
1 Sept	tic tank		4 Latera	al lines	7 Pit privy			11 Fue	11 Fuel storage 15 Oil well/Gas well			
2 Sew	er lines		5 Cess	pool	8 Sewage lagoon			12 Fertilizer storage 16 Other (specify below)				
3 Wate	ertight sew	er lines	6 Seepa	age pit	9 Feed	yard		13 Inse	cticide storage			
Direction fro	m well?		Sout	h				How m	any feet? 60			
FROM	ТО			LITHOLOGIC	LOG		FROM	то	LI7	HOLOGI	C LOG	
0	20	Sand										
20	52	Clay										
52	80	Sand	and G	ravel								
			,									
CONTRA	CTOB'S	OR LAND	OWNER	R'S CERTIFICAT	TION: This water	well was	(1) constru	cted (2) rec	onstructed or (3) plug	aed unde	er my jurisdiction and was	
completed of			11/1	5/82							er my jurisdiction and was ewledge and/belief, Kansas	
Water Well (				186					on (mo/ <b>q</b> ay/yr)	-	12/30/82	
inder the bu					Well Servic		. 100010 190	by (sign:	. <b>Y</b>	<b>2</b> 2		
							PRINT clear			circle the	correct answers. Send top	
hree copies	to Kansas	Departm	ent of He	alth and Environ	ment, Division of I	Environme	ent, Environ	mental Geolo	gy Section, Topeka, K	66620.	Send one to WATER WELL	
DWNER and	d retain or	e for yo	ur record	s.								