| | | WATE | R WELL RECORD | Form WWC-5 | KSA 82a- | 1212 | | | - WANTED TO THE STATE OF THE ST | |
|---|---------------------------|--------------------------------|-----------------------------|---|------------------------|---------------------------------------|-----------------------------|--------------------------|--|--|
| 1 LOCATION OF WATER WELL | WELL Fraction NEAR | | CENTER OF See | | tion Number Township N | | | | nber | |
| County: Stafford | | | 1/4 NW | 1/4 32 | | т 21 | S | R 13 | E(W) | |
| Distance and direction from near | est town or o Nor | _{city?} App theast | rox. 1/4 Mile of Seward, KS | Street addres | s of well if l | ocated within city | ? | | | |
| 2 WATER WELL OWNER: | Joh | n Keena | n | | | | | | | |
| RR#, St. Address, Box # : Route 1 | | | | | | Board of A | griculture, Div | rision of Water | Resources | |
| City, State, ZIP Code | Sew | ard, KS | 67577 | | ,, | Application | Number: 33 | 3,375 | | |
| 3 DEPTH OF COMPLETED W | ELL 104 | ft. B | ore Hole Diameter2 | $24\ldots$ in. to | 1.04 | ft., and | i | n. to | ft. | |
| Well Water to be used as: | | blic water s | upply | 8 Air condition | ning | 11 In | jection well | | | |
| 1 Domestic 3 Feedlot | 6 Oil | field water | supply | 9 Dewatering | 1 | 12 O | ther (Specify | below) | | |
| 2 Irrigation 4 Industrial | 7 Lav | wn and gard | den only | 10 Observatio | n well | | | | | |
| Well's static water level 9 | ∦. ∄ ft. | below land | surface measured on | 4 | | nth $\dots 22\dots$ | day | , 1.980 | year | |
| Pump Test Data | Well w | ater was | ft. after | | | | | | gpm | |
| Est. Yield Not Ck'd gpr | ni: Well w | ater was | ft. after | | | hours pumping | | | gpm | |
| 4 TYPE OF BLANK CASING L | JSED: | | 5 Wrought iron | 8 Concrete | tile | Casing J | oints: Glued . | Clamped | | |
| 1 Steel 3 R | Steel 3 RMP (SR) | | | 6 Asbestos-Cement 9 Other (specify below) | | | Welded . X | | | |
| | 4 ABS | | | | | | | | | |
| Blank casing dia16 | · · · in. to · | 64 | ft., Dia | in. to | | ft., Dia | | in. to | ft. <u>S</u> | |
| Casing height above land surface | e | 12 | in., weight | 31.75 | lbs./ | ft. Wall thickness | or gauge No | .188 | | |
| TYPE OF SCREEN OR PERFO | | | | 7 PVC | | | estos-cement | | | |
| 1 Steel 3 Stainless steel | | | 5 Fiberglass 8 RMP | | (SR) | SR) 11 Oth | | . <i></i> | | |
| 2 Brass 4 G | | | | 6 Concrete tile 9 ABS | | 12 None used (open hole) | | | | |
| Screen or Perforation Openings Are: | | | 5 Gauzed wrapped | | | 8 Saw cut | Saw cut 11 None (open hole) | | | |
| 1 Continuous slot 3 Mill slot | | | 6 Wire | | 9 Drilled holes | | | | | |
| 2 Louvered shutter 4 Key punched | | | 7 Torch cut | | | 10 Other (specify) Doerr Bridge Slot | | | | |
| Screen-Perforation Dia 1 | | | 4 ft., Dia | in. to | | ft., Dia | | . in to | ft. | |
| Screen-Perforated Intervals: | From | | 64. ft. to 104. | ft., | From | | ft. to | | ft. | |
| | From | | ft. to | ft., | From | | ft. to | | _{ft.} } | |
| Gravel Pack Intervals: | From | | 0 ft. to 104 ft., | | From | From | | | | |
| | From | | ft. to | | , From | | | | ft. | |
| 5 GROUT MATERIAL: 1 | Neat cemen | ıt | 2 Cement grout | 3 Bentonii | te 4 (| Other | | | | |
| Grouted Intervals: From | | | | ft. | to | ft., From | | ft. to | | |
| What is the nearest source of pe | | | | | 10 Fuel s | | | ndoned water v | 1 | |
| | 1 Septic tank 4 Cess pool | | | 7 Sewage lagoon | | 11 Fertilizer storage | | 15 Oil well/Gas well | | |
| · · | 5 Seepage p | it | 8 Feed yard | | | 12 Insecticide storage | | 16 Other (specify below) | | |
| | 6 Pit privy | | 9 Livestock pens | | | 13 Watertight sewer lines | | p. 11 | | |
| a not ann | licable | How | n/a | | 0 14/-41 | M-11 D:-:-440 | V | X | | |
| Was a chemical/bacteriological s | sample submi | itted to Den | artment? Yes | | No | X | | : If ves. dat | te sample | |
| was submitted | month | | dav | vear: Pu | ımp İnstalled | ? Yes. X | N | 0 | | |
| If Ves: Pump Manufacturer's na | me Pe | erless | Pump Co. | Model No. 12 | 2LD-2 | HP 60 | | Volts | | |
| Depth of Pump Intake | 60 | | ft. | Pumps Capac | ity rated at . | 900 | . | | gal./min. | |
| Type of pump: | Submersible | 2 | Turbine | 3 Jet | 4 Centri | ifugal 5 F | Reciprocating | 6 Ot | her | |
| 6 CONTRACTOR'S OR LAND | | | | | | | | | | |
| completed on | | | | | | 4 | | | | |
| and this record is true to the be | st of my know | wledge and | helief Kansas Water | Well Contractor's | License No | · · · · · · · · · · · · · · · · · · · | 185 | | i you k | |
| This Water Well Record was co | mpleted on | uge and | 5 | month 22 | 17 1 | day 1880 | | year under th | e husinees | |
| name of Clarke Well | | | | by (signature) | (110) | Chale | | . year under in | e business | |
| 7 LOCATE WELL'S LOCATION | T ==== | ТО | LITHOLO | | FROM | ТО | LIT | HOLOGIC LOG | | |
| WITH AN "X" IN SECTION | 0 | 2 | Sandy topsoil | | 36 | | | t. Gray o | | |
| BOX: | 2 | 5 | Sandy tan cla | | 38 | | | d & gravel | | |
| N | 5 | 12 | Fine sand - S | T | 44 | | | d & gravel | | |
| | | | sandy tan cl | | <u> </u> | | | green cl | | |
| NE | 12 | 15 | White & tan | | 48 | 76 | | se Sand & | | |
| ه ا | 15 | 21 | Yellow, brown | | | | | t'd Sand @ | | |
| ₩ | 13 | 4.21 | clay, fine | | | | | n sandy cl | | |
| | 21 | 33 | Tan & yellow | | | 84 | | rvl, Strk | | |
| | | - 55 | clay w/strks | | | 04 | green c | | Tall Q | |
| | ., | | XXX SAXEX | | 84 | 87 | | tan sandy | clay | |
| ELEVATION: Unknown | 33 | 36 | Gray clay | | 87 | | | d & grave | | |
| | | | | | | | | | L | |
| Depth(s) Groundwater Encounter | | | | | | | second shee | | A 45 | |
| INSTRUCTIONS: Use typewriter copies to Kansas Department of | | | | | | | | | | |
| retain one for your records. | | | | | , | | | | | |