,		I DECORD	ক্ষা ছছ য	CT 60 #			24860	
		L RECORD	Form W	WC-5		r Resources App. No		
	ty: Staff	OF WATER WELL:	Fraction 1/4 1/4 NC	1/4 SE 1/4	Section Number 24	Township No. T 21 S	Range Number R 14 □E ☑W	
		ddress of Well Location;						
from	nearest to	own or intersection: If at	owner's address, check	Global Positioning System (GPS) information: Latitude:				
	1 3/4 North, 1/2 West of Seward					Longitude: (in decimal degrees)		
1 0/4 Holds, 1/2 Woot of Coward					Elevation:			
2 WATER WELL OWNER: Robert Munz					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Robert Munz RR#, Street Address, Box #: Route 2, Box 38					Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code : Great Bend, KS 675					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Creat Bolld, No 07 300					Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 104 ft.								
	WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL 194							
SECI	SECTION BOX: Depth(s) Groundwater Encountered (1)							
ГТ	Pump test data: Well water was 44 ft. after 3 hours pumping 1000 gpm EST. YIELD 1200 gpm Well water was 48 ft. after 3.1/2 hours pumping 1200 gpm							
NIX								
w Ti	W T E Bore Hole Diameter 30 in. to							
 +								
SW	SW Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ✓ No If yes, mo/day/yr sample was submitted							
	1 mile		fected? I Yes		***************************************			
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other								
Casing diameter .16 in. to .104 ft., Diameter ft., Diameter ft.								
Casing height above land surface. 18 in., Weight Sch. 40 lbs./ft., Wall thickness or gauge No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
	Steel	Stainless Steel	∠ PVC		Other (Specify)			
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From 104								
From								
GRAVEL PACK INTERVALS: From 104 ft. to 20 ft., From ft. to ft.								
From								
Grout In		From ft. to	the Content ground	20	ft to 0 ft	From	ft to ft	
Grout Intervals: From								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seenage pit Feedvard Fertilizer storage Oil well/gas well None							e	
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None Direction from well Distance from well								
FROM	ТО	LITHOLOG		FROM			JGGING INTERVALS	
0	40	Top soil/ clay						
40	75	Sand & gravel						
75	77	Clay						
77	104	Sand & gravel				A		
							Was a state of the	
		,	· · · · · · · · · · · · · · · · · · ·			THE STATE OF THE S		
			4					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .12-19-12 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo/day/year) 1-15-13								
under the business name of Rosencrantz-Bemis by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: X White Copy, Blue Copy, Pink Copy								