WATER WELL RECORD		Form W	WC-5	Division of Water Resources App. No.			
	ATION nty: Star	OF WATER WELL: fford	Fraction 1/4 NE 1/4 NW	1/4 NW 1/4	Section Number Township No. Range Number 14 T 21 S R 14 □E ☑W		
Stree	t/Rural	Address of Well Location;	Global Positioning System (GPS) information:				
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)		
3 1/	2 North	, 2 West of Seward			Longitude: (in decimal degrees) Elevation:		
0 17/4	TED W	ELL OWNED		<u>-</u>	- <u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27		
I .		ELL OWNER: Randy			Collection Method:		
1	•	TD C - 1					
City	, State, 2	Great B	end, KS. 67530		Est. Accuracy:		
3 LOCATE WELL							
1	H AN "X	" IN 4 DEPTH OF	COMPLETED WELI	8U	ft.		
SEC'	TION BO	Depth(s) Ground	dwater Encountered	(1)	ft. (2) ft. (3) ft.		
Pump test data: Well water was					ft. after hours pumping gpm		
N	π. aπer nours pumping gpm						
		·					
S\	V S	Bore Hole Diameter 10					
		Was a chemical	bacteriological sample	submitted to	Department? Yes V No		
	S						
5 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .5 in. to .80 ft., Diameter in. to							
TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other							
Casing height above land surface! in., Weight SUN-49lbs./ft., Wall thickness or gauge No							
Casing height above land surface! in., Weight SUK-25lbs./ft., Wall thickness or gauge No							
	Water well disinfected? Yes No E OF CASING USED: Steel PVC Other G JOINTS: Glued Clamped Welded Threaded g diameter 5.						
_	☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
_			Street S				
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
. [REEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify) REEN-PERFORATED INTERVALS: From 80 ft. to 60 ft., From ft. to ft.						
SCREE	N-PERF	ORATED INTERVALS:	in. to 80 ft., Diameter in. to ft., Diameter in. to ft. surface 18 in., Weight SDR-26 lbs./ft., Wall thickness or gauge No. RFORATION MATERIAL: Sess Steel				
	From						
	GRAV	From					
From ft. to ft., From ft. to ft.							
From ft to ft From ft to ft							
Grout Intervals: From ft. to ft., From 20 ft., From ft.,							
	S						
	GRAVEL PACK INTERVALS: From						
FROM 0			IC LOG	rkum	LITHU. LUG (cont.) or PLUGGING INTERVALS		
4				-			
12							
52							
		Odila a gravor					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .2-15-13 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 2-20-13 under the business name of Rosencrantz-Bemis by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Sen d one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at							
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212 Check: White Copy. Blue Copy. Pink Copy.							
NOA 828	1212	•			Check: White Copy, Blue Copy, Pink Cop		