		Fraction		Section	Number	Township Number	er Range	Number
	County: Street/Rural Address of Well Location;			Clobal P	ocitioning (T Systems (GPS) inf	ormations	E
	direction from nearest town or intersect			Latitude:	usitivilling t	systems (GI 5) III	(in de	ecimal degre
	check here	ion. If at owner 5 add		Longitude	e:		(in de	cimal degre
				Elevation	:	S84, NAD	92	IAD27
					n Method:	364, <u> </u>	65, <u> </u>	IAD21
2	WATER WELL OWNER:					e/Model:		
-	RR#, St. Address, Box #:			Dig	gital Map/Pho	oto, 🗌 Topograph	ic Map,	Land Survey
	City, State ZIP Code:			Est. Accur	acy: \square <	$_{3 \text{ m}}$, $\square_{3-5 \text{ m}}$,	□ 5-15 m,	$\square > 15 \text{ m}$
2	MADIZ WELLICLOCATION	4 DEPEN OF					· ·	
3	MARK WELL'S LOCATION WITH AN "X" IN SECTION	4 DEPTH OF	WELL _		It.			
	BOX:	WELL'S STA	ATIC WA	ATER LEVE	EL	ft		
		WELL WAS	USED A	AS:				
	NW NE	Domestic		Public V	Vater Suppl	y De	watering	
W 5		Irrigation	-	Public V Oil Field Domesti	d Water Sup	oply Mo	onitoring	
	E	Feedlot	-	Domesti	c (Lawn &	Garden) Inj	ection Well	
	SW SE	☐ Industrial	L	☐ Air Con	altioning	□ Ot	her	
		Was a chemic	al/bacteri	iological san	nple submit	ted to Department?	Yes	No 🗌
	S TYPE OF BLANK CASING USE	ND.						
	Steel RMP (SR) Blank casing diameter in. Casing height above or below land	surface	C 	Concrete Tile	If yes, ho			
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible	Asbestos-Cement Was casing pulled surface Neat cement ft. to ft.	Yes Cin. Cem	Concrete Tile No no ent grout	If yes, ho Benton	w muchite	ft. to _	
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank S Sewer lines S	Asbestos-Cement Was casing pulled surface Neat cement ft. to ft. ole contamination: eepage pit it privy	Yes Cin. Cem , From	Oncrete Tile No ent grout fixtorage fizer storage	If yes, ho Benton	w much ite	ft. to _	
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible septic tank	Asbestos-Cement Was casing pulled surface Neat cement ft. toft. ple contamination: eepage pit it privy ewage lagoon	Yes Cin. Cem Cem Fuel s Fertili Insect	ent grout mf storage izer storage	If yes, ho Benton	w much ite	ft. to _	ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possible sewer lines	Asbestos-Cement Was casing pulled surface Neat cement ft. to ft. ole contamination: eepage pit it privy	Yes In. Cem Fuel s Fertili Insect Aband	Oncrete Tile No ent grout fixtorage fizer storage	If yes, ho Benton t. to well Dir	w much ite	ft. to _ w)	ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulled surface Neat cement ft. to ft. ole contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	Yes In. Cem Fuel s Fertili Insect Aband Oil we	ent grout storage izer storage icide storage loned water ell/Gas well	If yes, ho Benton t. to well Dir Ho	w much ite	ft. to _	ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulled surface Neat cement ft. toft. ble contamination: eepage pit it privy eewage lagoon eedyard	Yes In. Cem Fuel s Fertili Insect Aband Oil we	ent grout mf storage izer storage cicide storage doned water	If yes, ho Benton t. to well Dir	w much ite	ft. to _ w)	ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulled surface Neat cement ft. to ft. ole contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	Yes In. Cem Fuel s Fertili Insect Aband Oil we	ent grout storage izer storage icide storage loned water ell/Gas well	If yes, ho Benton t. to well Dir Ho	w much ite	ft. to _	ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulled surface Neat cement ft. to ft. ole contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	Yes In. Cem Fuel s Fertili Insect Aband Oil we	ent grout storage izer storage icide storage loned water ell/Gas well	If yes, ho Benton t. to well Dir Ho	w much ite	ft. to _	ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulled surface Neat cement ft. to ft. ole contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	Yes In. Cem Fuel s Fertili Insect Aband Oil we	ent grout storage izer storage icide storage loned water ell/Gas well	If yes, ho Benton t. to well Dir Ho	w much ite	ft. to _	ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulled surface Neat cement ft. to ft. ole contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	Yes In. Cem Fuel s Fertili Insect Aband Oil we	ent grout storage izer storage icide storage loned water ell/Gas well	If yes, ho Benton t. to well Dir Ho	w much ite	ft. to _	ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulled surface Neat cement ft. to ft. ole contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	Yes In. Cem Fuel s Fertili Insect Aband Oil we	ent grout storage izer storage icide storage loned water ell/Gas well	If yes, ho Benton t. to well Dir Ho	w much ite	ft. to _	ft.
6	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulled surface Neat cement ft. to ft. ole contamination: eepage pit it privy ewage lagoon eedyard ivestock pens	Yes In. Cem Fuel s Fertili Insect Aband Oil we	ent grout storage izer storage icide storage loned water ell/Gas well	If yes, ho Benton t. to well Dir Ho	w much ite	ft. to _	ft.
7	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulled surface Neat cement ft. to ft. ole contamination: eepage pit	Yes [in. Cem Cem Fuel s Fertili Insect Aband Oil we LS ICATIO	ent grout mf storage izer storage icide storage loned water ell/Gas well FROM N: This w	If yes, ho Benton t. to well Dir Ho TO	w much ite	my jurisdi	IALS
7	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulled surface Neat cement ft. to ft. ole contamination: eepage pit	Yes [in. Cem Cem Fuel s Fertili Insect Aband Oil we LS ICATIO	ent grout mf storage izer storage icide storage loned water ell/Gas well FROM N: This w	If yes, ho Benton t. to well Dir Ho TO	w much ite	my jurisdi	IALS
7 con We	Blank casing diameter in. Casing height above or below land GROUT PLUG MATERIAL: Grout Plug Intervals: From What is the nearest source of possib Septic tank	Asbestos-Cement Was casing pulled surface Neat cement ft. toft. This Wat cement ft. toft. Meat cement ft. toft. See a goon Geedyard Geedyard Geedyard Avestock pens WNER'S CERTIF and This Wat	Yes in. Cem Cem Fuel s Fertili Insect Aband Oil we LS ICATIO d this rec ter Well I	ent grout ent grout grout mf storage izer storage icide storage loned water ell/Gas well FROM PN: This we cord is true Record was o	If yes, ho Benton It. to Well Dir Ho TO To Tater well verto the best completed of	w much ite	my jurisdiand belief.	IALS iction and v Kansas Wa under

KSA82a-1212

Revised 1/29/2014