WATER WELL RECORD	Form WWC-5	5	Division	n of Water	r Resources; App. No.		
1 LOCATION OF WATER WE. County: Pawnee	LL: Fraction 1/4 NC 1/4 NW	1 1/4	20	_	Township Number T 21 S	R 15w E/W	
Distance and direction from nearest town or city street address of well if			Global Positioning Systems (decimal degrees, min. of 4 digits)				
located within city?			Latitude:				
1/2N, 5E of Larned, KS 2 WATER WELL OWNER: Galen Ohnmacht			Longitude:				
RR#, St. Address, Box # : 159 Sabine Drive			Elevation:				
City, State, ZIP Code : Portland, TX 78374			Datum:				
				Data Collection Method:			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 69							
WITH AN "X" IN Depth(s) Groundwater Encountered (1)							
SECTION BOX: WELL'S	WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr05/.04/.07						
N J	Pump test data: Well water wasft. after hours pumping gpm						
Est. Yieldgpm: Well water wasft. afterhours pumpinggpm							
WELL WATER							
W E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs							
Sample was submitted							
s							
5 TYPE OF CASING USED:	5 Wrought Iron 8 Concr	ete tile		CASINO	G JOINTS: Glued		
1 Steel 3 RMP (SR)	6 Asbestos-Cement 9 Other	(specify b	pelow)				
2 PVC 4 ABS	7 Fiberglass		4~		Threaded	l	
2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 16 in. to ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 3 ft. below in., Weight lbs./ft. Wall thickness or guage No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From3ft. to11							
What is the nearest source of possible contamination:							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well? How many feet?							
	LITHOLOGIC LOG	FROM	TO	T	PLUGGING INT		
		69	11	grave			
		11	3	bento			
		3	0	topso			
	•		-				
7 CONTRACTOR'S OR LANDO	OWNER'S CERTIFICATION: The	nis water	well was	(1) const	ructed, (2) reconstruc	ted, or (3) plugged	
onder my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's Li	icense No186 This Water	Well Rec	ord was c	ompleted	d on (mo/day/year) 0.5	5./14/.97	
under the business name of Kell	y s water well Service,	Inc. by	(signatu	re) Ka	Thyn Ly		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone							
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at							

http://www.kdheks.gov/waterwell/index.html.