USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	Ta :	T		1			1
1. Location of well:	County	Fraction		Section number		Township number Range number	
	Pawnee	1/4 C 1/4 SW	1/4	/4 2		T 21 S R 15 EW	
Street address of well location if in city:				Owner of well:  Jack Loving  or street:  state, zip code:  Rt/ 1 Pawnee Rock, Ks. 6756			7567
4. Locate with "X" in section below:  N						6. Bore hole dia. 16 in. Completion date Well depth 37 ft. 3-6-75	
NW NE						7 Cable tool X Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary	
E S E S S S S S S S S S S S S S S S S S						8. Use: Domestic Public supply Industry X Irrigation A Air conditioning Stock Lawn Oil field water Other	
						9. Casing: Material stee Teight: Above or below Threaded Welded Surface 12 in. RMP PVC Weight lbs./ft.	
I ← 1 Mile ← 1				1. 1	_	Dia. 16n. to 37 ft. depth Wall Thickness: inches or Diain. to ft. depth gage No	
5. Type and color of	material			From	То	10. Screen: Manufacturer's name	
Top soil				0	2	Type steel Dia. 16	
Brown clay				2	5	Slot/g\( \frac{10}{27} \)   Set between \( \frac{27}{10} \)   ft. and \( \frac{37}{10} \)   ft.	
Sand and gravel clean coarse loose				5	<b>37</b>	ft. and ft. Gravel pack? X Size range of material 3/4-3/8	<u>-1</u>
Yellow brown clay				37	38	11. Static water level: mo./day/yr.  12 ft. below land surface Date 9-24-7	4
Sand ro	ock			38	42	12. Pumping level below land surfaces:  27 ft. after hrs. pumping g.p.m.  ft. after hrs. pumping g.p.m.	
						Estimated maximum yield	
						14. Well head completion:  Pitless adapter Inches above grade	
						15. Well grouted? Bentonite Concrete    With: Neat cement Bentonite Concrete   Depth: From ft. to ft.	
	and the latest design					16. Nearest source of possible contamination: ft. 1500 Direction nw Type septec Well disinfected upon completion? YesNo	tar
						17. Pump:  Manufacturer's name  W.L.R.  Not installed  R.  Model number 1-10cm HP 10 Volts 460  Length of drop pipe 30 ft. capacity 600g.p.m.	]     (A)   (B)
						Type:  Submersible Turbine	
	(Use a second s	neet if needed)				Jet Reciprocating Other	§   V
18. Elevation: 19. Remarks:						20. Water well contractor's certification: This well was drilled under my jurisdiction and this report	2
Topography:						is true to the best of my knowledge and belief. Rosencrantz-Bemis 13	14
Hill Slope						Business name Address Great Bend, Ks. 6753	1 × 1
<b>y</b> _ Upland Valley					<u> </u>	Signed Authorized representative Date 7	ξħ