WATER WELL RECORD KSA 82a-1201-1215



Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | County | Fraction | | | Section number | | Township number | Range number | | |
|---|---------|----------|-----------|---------|--|---|---|--|-----------------------|--|
| 1. Location of well: | Pawnee | SW 1/4 | SE 1/4 SE | 1/4 | 5 | | T 21 S | R 15 | ۯ | |
| 2. Distance and direction from nearest town or city: 3. Owner of | | | | | ner of well: | | H. Lee Turner | | | |
| Approx. 7 3/4 miles N. Larned, KS Street oddress of well location if in city: | | | | | street: | | Route 1 | | | |
| | , | | | City, s | tate, zip co | | Great Bend, KS | 67530 | | |
| 4. Locate with "X" in section below: Sketch map: $24!$ | | | | | | | 6. Bore hole dia. XXXX in. Well depth 70 ft. P | Completion date <u>6-1</u> ump Set 7-18 | <u>.2-</u> 79 3-79 | |
| Ī | ī | | | | | • | 7 Cable tool Rotary | | | |
| | | | | | | | | | | |
| | | | | | | Ī | | | | |
| | | | | | | | | | | |
| | | | | | | } | | | | |
| | | | | | | 1 | | | | |
| s | | | | | | | RMP PVCWeight 30.3 lbs./ft. | | | |
| ı → 1 Mile → ı | | | | | | | Dia 16 in. to 30 ft. depth Wall Thickness: inches or | | | |
| 5. Type and color of material | | | | | From | То | Diain. to ft. depth gage No 7 ga | | | |
| Top soil | | | | | 0 | 3 | | | | |
| Brown clay | | | | 3 | | Type Double-slot Dia | | | | |
| | | | | | \dashv | | | | | |
| Sand & gravel | | | | 8 | 49 | Grovel pack? Yes Size ran | ge of material 3/8- | 200 | | |
| Gray clay | | | | 49 | 59 | 11. Static water level: mo./day/yr. 13 ft. below land surface Date $6-12-79$ | | | | |
| Sand & gravel | | | | 59 | 65 | 12. Pumping level below land | surfaces: | | | |
| Dakota clay | | | | 65 | 70 | ft. after hrs. pumping g.p.m ft. after hrs. pumping g.p.m. Estimated maximum yield 1700 g.p.m. | | | | |
| | | | | | | - | Estimated maximum yield | mo./de | gy/yr. | |
| | | | | | | | | Oate | | |
| | | | | | | 14. Well head completion: Pitless adapter | 12 Inches above gra | | | |
| | | | | | | | 15. Well grouted? Yes | TE Inches above gra | 100 | |
| | | | | | | | With: X Neat cement | BentoniteCon | | |
| | | | | | | | Depth: 110iii 11: 10 _ | | ─ | |
| | | | | | | | 16. Nearest source of possible ft Direction | | TD . | |
| | | | | | | L | Well disinfected upon complet | | _No | |
| | | | | | | | 17. Pump: Manufacturer's name Peer | Not installed | ~ .▲ | |
| | | | | | | | Model number 2MB-2 | HP 60 Volts | | |
| | | | | | | | Length of drop pipe 65 | ft. capacity <u>1200</u> | p.m. | |
| | | | | | 1 | Type: Submersible | XTurbine | | | |
| | | | | | | - | Jet | Reciprocat | ing | |
| (Use a second sheet if needed) | | | | | | | Centrifugal | Other | - S . | |
| 18. Elevation: 19. Remarks: 3 15 7 8 | | | | | | [| 20. Water well contractor's ce | | 10/ | |
| Turner - Mull #7 | | | | | | | This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. | | | |
| Topography: | | | | | | | Clarke Well & Eq., Inc. 185 | | | |
| Slope | | | | | | 1 | Business name Great Bend | KS 67530 | * No. - 16 | |
| Upland | 21 15 5 | PD | | | | | Address OWICE | X69X0 | ZXXXXX | |
| Valley | | - | | | | | Signed Authorized repre | esentative 7-27 | <u>-79</u> ≨ % | |