USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansos 66620

	County	Froction 1/4 1/4 N=1/4		Section number		Township number Range number	
1. Location of well:	Pawnee					T 21 S R 15 E/W	
Street address of well location if in city, R.R. a				wher of well: James Degner or street: 3801 19th St. state, zip code: Great Bend, Ks. 67530			
4. Locate with "X" in section below: N					<u> </u>	6. Bore hole dig. 29 in. Completion date	
NW						7 Cable tool Rotary Driven Dug Hollow rad Jetted Bored Reverse rotary	
× SW	E					8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock Lawn Oil field water Other	
<u> </u>						9. Casing: Material <u>steenleight: Above or between</u> Threaded <u>Welded X</u> Surface <u>18</u> in. RMP PY Weight <u>lbs./ft.</u> Dia. 16 in. to 7 ft. depth Wall Thickness: inches or	
5. Type and color of				From	То	Dia in. to ft. depth gage No7	
Guil M. Guil						10. Screen: Manufacturer's name	
Sandy Top Soil Brown Clay				0	2		
Sand & Gravel Clean Coarse Loose				4	25	ft. andft.	1.
Brown & Gray Clay				25	57	Gravel pack? _x _ Size range of material $\frac{1}{2}$ 1/2 3/ 11. Static water level:ft. below land surface1	4 3,
SAnd & Gravel Med. Loose Clean				57	77	12. Pumping level below land surfaces:	
Brown & Blue Clay				77	102	7 ft. after 1 hrs. pumping 800 g.p.m. ft. after hrs. pumping g.p.m.	
Brown Sandy Clay				102	109	Estimated maximum yield	
Yellow Brown Light				109	115	x Yes No Dote 1-6-77	
Gray Redish Colored Rowky				115		Pitless adapter Inches above grade 15. Well grouted?	
						With: Neathcement Bentonite X Concrete	اًٰہ
						16. Negrest source of possible contamination: ft. Source of possible contamination: ft. Type Septice	-
			<u> </u>			Well disinfected upon completion? Yes No 17. Pump: Not installed	*
						Manufacturer's name Western Land Roller Madel number 12 HP 40 Volts 230	ر 1004
	, , , , , , , , , , , , , , , , , , , ,					Length of drop pipe ft. capacity ROOG.p.m. Type:	3
	(Use a second s	neet if needed)				Submersible Reciprocating Centrifugal Other	μ̈́
1947 Topography: Hill Slope	19. Remarks: 2843	/	4.X			20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	ット マー
X Upland Valley	. , , ,		, , ,			Signed Authorized representative	*