

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:		County Pawnee	Fraction 1/4 1/4 CNE 1/4	Section number 27	Township number T 21 S	Range number R 15 E W
2. Distance and direction from nearest town or city: 8 1/2 miles Northeast of Larned, KS Street address of well location if in city:			3. Owner of well: Roy Bauer, Jr. R.R. or street: Route 1 City, state, zip code: Pawnee Rock, KS 67567			
4. Locate with "X" in section below: N 1 Mile W E S 1 Mile			Sketch map: 			
5. Type and color of material			From	To	6. Bore hole dia. 24 in. Completion date 10-1-76 Well depth 93 ft.	
top soil			0	3	7. <input type="checkbox"/> Cable tool <input type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input checked="" type="checkbox"/> Reverse rotary	
sandy clay			3	14	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
n sand & gravel			14	35	9. Casing: Material steel Height Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight 30.3 lbs./ft. Dia. 16 in. to 40 ft. depth Wall Thickness: inches or Dia. 16 in. to 84 ft. depth gage No. 7 ga.	
sand & gravel & thin clay streaks			35	38	10. Screen: Manufacturer's name Doerr Type Double-slot Dia. 16" Slot/gauze 1/8" Length 39' Set between 40 ft. and 70 ft. 84 ft. and 93 ft. Gravel pack? yes Size range of material 3/8-200	
sand & gravel			38	53	11. Static water level: 10' ft. below land surface Date 9-30-76 mo./day/yr.	
sand & gravel & thin clay streaks			53	56	12. Pumping level below land surfaces: N/C ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield g.p.m.	
sand & gravel			56	69	13. Water sample submitted: mo./day/yr. Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Date	
brown & gray clay			69	85	14. Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade	
sand & gravel with clay streaks			85	92	15. Well grouted? yes With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
gray clay			92	93	16. Nearest source of possible contamination: ft. Direction Type Well disinfected upon completion? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
					17. Pump: Not installed Manufacturer's name FMC Corp. - Peerless Model number 12MB 3 HP 40 Volts 460 Length of drop pipe 70 ft. capacity 900 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
					20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Clarke Well & Equip. Inc. 185 Business name Great Bend, KS 67530 License No. Address 10-4- Signed D.W. Clarke Date 10-4- Authorized representative	
18. Elevation: Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input type="checkbox"/> Valley		19. Remarks: (Use a second sheet if needed)				

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5