588-05 & 33161 Division of Water Resources App. No. Form WWC-5 WATER WELL RECORD Range Number Township No. Section Number 1 LOCATION OF WATER WELL: Fraction R 15 21 S 1/4 NE 1/4 NW 1/4 NW 1/4 17 County: Pawnee Global Positioning System (GPS) information: Street/Rural Address of Well Location; if unknown, distance & direction Latitude: (in decimal degrees) from nearest town or intersection: If at owner's address, check here \square . Longitude: (in decimal degrees) 2 south, 1/2 west of Pawnee Rock, Ks. Elevation: Datum: WGS 84, NAD 83, NAD 27 WATER WELL OWNER: Collection Method: Mull Investments GPS unit (Make/Model:) RR#, Street Address, Box #: 553 R Road ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey City, State, ZIP Code Pawnee Rock, Ks. 67567 LOCATE WELL 4 DEPTH OF COMPLETED WELL 50 ft. WITH AN "X" IN Depth(s) Groundwater Encountered (1)..... ft. (2)..... ft. SECTION BOX: WELL'S STATIC WATER LEVEL. 18ft. below land surface measured on mo/day/yr. 9-14-11...... Pump test data: Well water was......ft. after..... hours pumping..... gpm X EST. YIELD. NA...gpm. Well water was......ft. after...... hours pumping...... gpm - NW - ---NE-W WELL WATER TO BE USED AS:
Public water supply Geothermal Other (Specify below) Oil field water supply Dewatering ✓ Feedlot ☐ Domestic -- SE --- SW - -☐ Domestic-lawn & garden ☐ Monitoring well Industrial ☐ Irrigation If yes, mo/day/yr sample was submitted..... S ----l mile-----Water well disinfected? Yes No **▼** PVC Other 5 TYPE OF CASING USED: Steel CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .8....... in. to .50...... ft., Diameter ft., Diameter ft., Diameter ft. Casing height above land surface. 18 in., Weight SDR 26 lbs./ft., Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: Other (Specify) ☐ Stainless Steel ☐ Galvanized Steel ✓ PVC☐ None used (open hole) ☐ Steel □ Brass SCREEN OR PERFORATION OPENINGS ARE: Gauze wrapped Torch cut
Wire wrapped Saw cut None (open hole) Drilled holes ☐ Continuous slot ☐ Mill slot ☐ Louvered shutter ☐ Key punched Other (specify) SCREEN-PERFORATED INTERVALS: From 50 ft. to ... 20 ft., From ... ft. to ... ft. From ft. to ft., From ft. to ft. 6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other
Grout Intervals: From ft. to ft., From 20 ft., From ft., From ft., From ft. to ft., From ft., Fro What is the nearest source of possible contamination: ☐ Insecticide storage
☐ Abandoned water well Other (specify below) Livestock pens ☐ Lateral lines ☐ Pit privy Septic tank Sewage lagoon Fuel storage Sewer lines Cesspool Fertilizer storage Oil well/gas well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard Distance from well ..5..... Direction from well South LITHO. LOG (cont.) or PLUGGING INTERVALS FROM TO LITHOLOGIC LOG FROM TO 0 Top soil 2 6 Tan clay 35 Sand & gravel 50 Tan clay & fine sand 35 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was

✓ constructed, ☐ reconstructed, or ☐ plugged under my jurisdiction and was completed on (mo/day/year) .9-20-11...... and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134. This Water Well Record was completed on (mo/day/year) 10-20-11 under the business name of Rosencrantz-Bemis Ent. Inc. by (signature) 10-20-11 INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at

Check: White Copy, Blue Copy, Pink Copy

http://www.kdheks.gov/waterwell/index.html