WATER WELL RECORD		Form WWC-5		Division of Water Resources App. No. 18305			
1 LOCATION OF WATER WELL:			Fraction		Section Number	Township No.	Range Number
County: Pawnee Street/Rural Address of Well Location; i				¼ NE ¼		T 21 S	R 15 □E ☑W
				Global Positioning			
from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees) Longitude: (in decimal degrees)		
2 17	2 30uui	, 1 1/4 West of Fawnee i	Elevation:		••••		
2 WATER WELL OWNER: Jim Kirby					Datum: WGS 84, NAD 83, NAD 27 Collection Method:		
RR#, Street Address, Box #: 1256 O Road					GPS unit (Make/Model:)		
City, State, ZIP Code : Larned.			Ks. 67550	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Surv Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			c Map, 🔲 Land Survey
3 LOC	ATE WE	T.T.	The state of the s	Est. Accuracy:	<3 m, ∐ 3-5 m, ∐	5-15 m, ∐ >15 m	
Ī	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .85						
SECT	FION BC	Depth(s) Ground	lwater Encountered	ft. (2)	ft. (3) ft.	
WELL'S STATIC WATER LEVEL17							ay/yr0/20/12
EST. YIELD 967gpm. Well water was 58							
W E Bore Hole Diameter 40 in. to .85 ft., and in. to							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SWSE ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below) ☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No							
S If yes, mo/day/yr sample was submitted							
	1 mile	Water well disin	fected? ☑ Yes □				
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter 16 in. to 85 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 18 in., Weight Sch 40 lbs./ft., Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot							
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify) SCREEN-PERFORATED INTERVALS: From							
From 65 ft to 45 ft From ft to ft							
GRAVEL PACK INTERVALS: From85							
From							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage 📝 Other (specify below)							
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well None							
Direction from well Distance from well							
FROM	TO	LITHOLOG	IC LOG	FROM			GGING INTERVALS
0	34	Top soil					
34	43	Sand & gravel- med to I Tan clay	arge				
43	74	Small sand & gravel					
74	82	Tan clay					
82	85	Tan clay & fine sand					
				 			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .0/20/12 and this record is true to the best of my knowledge and belief							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 7/16/12 under the business name of Rosencrantz-Bemis by (signature).							
INSTRUCTIONS: Use ty Dewriter of Dail point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and sheek, the correct angusers. Send those sources							
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at							
nup.//www.kuneks.gov/waterweii/index.ntmi.							
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							