WATE	R WEL	L RECORD	Form W	WC-5	Di	vision of Water	r Resources App. No),	
		OF WATER WELL:	Fraction		ı	on Number		Range Number	
	ty: Pawi		1/4 NW 1/4 NW			12	T 21 S	R 15 DE VW	
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here								
	8 1/2E, 3N of Larned, KS						Longitude: (in decimal degrees)		
o near or carried, No						Elevation:			
2 WATER WELL OWNER: Bret Bauer						Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 1740 20th Ave						GPS unit (Make/Model:)			
City, State, ZIP Code : Pawnee			e Rock, KS 67567			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15								5-15 m, >15 m	
	I AN "X"	IN 4 DEPTH OF	COMPLETED WELI	L .84		ft.			
SECT	SECTION BOX: Depth(s) Groundwater Encountered (1).24								
<u></u>	N WELL'S STATIC WATER LEVEL24ft. below land surface measured on mo/day/yr. 09/17/13								
	'		imp test data: Well water wasft. afterhours pumpinggpm 0.60gpm. Well water wasft. afterhours pumpinggpm						
w NV	V NE		Bore Hole Diameterin. toft., andin. toft.						
x +		WELL WATER	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SW	Construction of the control of the c								
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							.,,,,,,,,	
S If yes, mo/day/yr sample was submitted									
w	1 mile		nfected? 📝 Yes 🔲						
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter 5 in. to .64 ft., Diameter in. to ft., Diameter in. to ft.									
Casing height above land surface. 12									
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ✓ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From64									
From									
GRAVEL PACK INTERVALS: From									
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other									
Grout Intervals: From .0									
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock p ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage						e Abandoned water well			
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well									
FROM	tion fron		ACLOC				OG (aont) or DLT		
0	12	LITHOLOG top sand	JIC LUU	FROM	ТО	LITTO, LO	og (com.) <u>or</u> PLU	IGGING INTERVALS	
12	17	clay							
17	23	fine sand							
23	62	clay							
62	84	sand and gravel	***************************************						
	 	4							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .09/17/13									
under the business name of Kelly's Water Well Service, Inc. by (signature) Kathaya & Land									
INSTRU	CTIONS:	Use typewriter or ball point pe	n. <i>PLEASE PRESS FIRML</i>)	and <u>PRINT</u> c	learly. Ple	ase fill in blanks	and check the correct	answers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html									