

1 LOCATION OF WATER WELL:		Fraction		Section Number	Township Number	Range Number
County: <u>Pawnee</u>		SE ¼ NW ¼ SE ¼		25	T 21 S	R 16 EW
Distance and direction from nearest town or city street address of well if located within city? <u>3 ¼ miles east of Larned, Ks.</u>						
2 WATER WELL OWNER: <u>Ward Feed Yard</u>						
RR#, St. Address, Box #: <u>Box H</u>						
City, State, ZIP Code: <u>Larned, Ks. 67550</u>						
Board of Agriculture, Division of Water Resources Application Number: <u>24,211</u>						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>73</u> ft. ELEVATION:				
		Depth(s) Groundwater Encountered 1. <u>10.8</u> ft. 2. <u>12-11-96</u> ft. 3. <u>12-11-96</u> ft. WELL'S STATIC WATER LEVEL <u>10.8</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was <u>32.9</u> ft. after <u>4</u> hours pumping <u>600</u> gpm Est. Yield <u>650</u> gpm: Well water was <u>32.9</u> ft. after <u>4</u> hours pumping <u>600</u> gpm Bore Hole Diameter <u>28</u> in. to <u>73</u> ft., and <u>73</u> in. to <u>73</u> ft.				
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) <u>2 Irrigation</u> 4 Industrial 7 Lawn and garden only 10 Monitoring well				
		Was a chemical/bacteriological sample submitted to Department? Yes <u> </u> No <u>X</u> If yes, mo/day/yr sample was sub- mitted				
		Water Well Disinfected? Yes <u> </u> No <u>X</u>				
5 TYPE OF BLANK CASING USED:						
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>X</u> Clamped <u> </u> 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded <u> </u> 7 Fiberglass Threaded <u> </u>						
Blank casing diameter <u>1.6</u> in. to <u>23</u> ft., Dia <u>33</u> in. to <u>53</u> in. to <u> </u> ft.						
Casing height above land surface <u>1</u> ft., in., weight <u>SDR 32.5</u> lbs./ft. Wall thickness or gauge No. <u> </u>						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) <u> </u> 12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) <u> </u>						
SCREEN-PERFORATED INTERVALS: From <u>23</u> ft. to <u>32</u> ft., From <u>53</u> ft. to <u>73</u> ft.						
GRAVEL PACK INTERVALS: From <u>73</u> ft. to <u>15</u> ft., From <u> </u> ft. to <u> </u> ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other <u> </u>						
Grout Intervals: From <u>0</u> ft. to <u>15</u> ft., From <u> </u> ft. to <u> </u> ft., From <u> </u> ft. to <u> </u> ft.						
What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) <u>none</u> 13 Insecticide storage						
Direction from well? <u> </u> How many feet? <u> </u>						
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	
0	3	Top soil				
3	30	Sand and gravel clean, coarse				
30	53	Yellow brown & white clay				
53	69	Sand and gravel Medium loose & clean				
69	73	Yellow brown blue gray clay				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>1-24-97</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>134</u> This Water Well Record was completed on (mo/day/yr) <u>1-29-97</u> under the business name of <u>Rosencrantz-Bemis</u> by (signature) <u>Fredia Dodson</u>						