41.66:-				TER WELL RECORD	Form WWC		- 			
\	,	TER WELL:	Fraction	اء سيون	<i>→</i> 1	ection Number	Township Num		Range Number	
	and direction		NW or eith street	NE 1/4 NE address of well if loca	1/4	32	T 21	<u> </u>	R 6 E(N)	
Distance	airu direction	i iioiii fiearest tov	wil Of City Stree			adway.	Larned t	<<	_	
2 WATE	R WELL OV	NER: DeAr	5 665	ely, re	0000	mound,	curred,	1		
RR#, St.	Address, Bo	× # : 1323 B	machine	H		_	. Board of Agri	culture. D	Division of Water Resources	
City, State	e, ZIP Code		0,65			Mu	Application N	umber:		
LOCAT	E WELL'S L	OCATION WITH N BOX:	4 DEPTH OF	COMPLETED WELL.	50	ft. ELEVA	TION:2026.	79.	,	
± [ابد	WELL'S STA	TIC WATER LEVEL 199	29 UZ #	helow land sud	face measured on m	π. 3. o/dov/ur	9/16/99	
1	i	'^	PI	imo test data: Well wa	ter was	ft af	ter - h	o/day/yr	mping gpm	
-	NW	NE							nping gpm	
	-		Bore Hole Dia	meter (7) in t	50	ft s	and —	iouis pui	to — the spinit	
₹ ₩ ト	i	E		re Hole Diameter						
; l	1	<u>i</u>	1 Domes				9 Dewatering		Other (Specify below)	
	SW	SE	2 Irrigatio						, , , , ,	
1 1	1		, -						mo/day/yr sample was sub-	
1 -			mitted				er Well Disinfected?		(No)	
5 TYPE	OF BLANK	CASING USED:	•	5 Wrought iron	8 Cond	rete tile	CASING JOINT	S: Glued	Clamped	
1_St		3 RMP (SI	R)	6 Asbestos-Cemen	t 9 Othe	(specify below			od	
(ž)P)	vc	4_ABS		7 Fiberglass				Threa	ded	
Blank cas	ing diameter		in. to	3.0 ft., Dia	in. t	o	ft., Dia	<i>.</i> i	n. to ft.	
Casing he	eight above la	and surfacet	rusn	in., weight)	
TYPE OF	SCREEN O	R PERFORATIO	N MATERIAL:		(7)		10 Asbest			
1 St	eel	3 Stainless	s steel	5 Fiberglass	¥ R	8 RMP (SR)		11 Other (specify)		
2 Br	ass	4 Galvaniz	zed steel	6 Concrete tile	9 A	3S	12 None u			
_		RATION OPENIN	IGS ARE:	5 Gau	zed wrapped		8 Saw cut		11 None (open hole)	
(1)C	ontinuous slo	t 3 M	lill slot	6 Wire	wrapped		9 Drilled holes			
2 Lo	ouvered shut	ter 4 Ke	ey punched		ch cut					
SCREEN-	PERFORATI	ED INTERVALS:	From		<u>5</u> Q	ft., Fron	١	ft. to)	
			From	ft. to		ft., Fron	1	ft. to)	
(GRAVEL PA	CK INTERVALS:	From	. 5 ft. to	z .y	ft., Fron	1	ft. to)	
			From	ft. to		ft., Fron				
	T MATERIAL			2 Cement grout	∂ Bent	onite 4 (Other			
Grout Inte	rvals: From	n	.ft. to №	ft., From	ft.	to	ft., From		. ft. to	
		ource of possible				10 Livest	•	14 Ab	andoned water well	
1 Septic tank 4 Lateral					11 Fluel storage		15 Oil well/Gas well			
2 Sewer lines 5 Cess poor			•	8 Sewage la	goon					
	_	er lines 6 Seep		9 Feedyard			icide storage		her (specify below)	
Direction 1	rom well?	Northwes		0.1.00	1 50014	How man		0010 0		
FHOINI	30	Brown &	LITHOLOGI Silty Cla		FROM	то	PLUG	GING IN	TERVALS	
	70	Plown :	ony ca	y		-		<u> </u>	TETTALO	
20	F30	Brown	Silfu C	Dati						
3v	100	CHOUNT	-211AM C	wy						
			<i>J</i>							
						-				
						 				
						 				
				·		1				
						 -				
						+				
						 				
T	L					<u> </u>	^			
ZI CONTE	RACTOR'S	OR LANDOWNER	R'S EFFTIFICA	TION: This water well v	was (1) constru	icted, (2) recon	nstructed, or (3) plugg	ged unde	er my jurisdiction and was	
completed	on (mo/day/	year)	62			and this record	ishtula to the pest of	Trany kno	wledge and belief. Kansas	
		s License No.		This Water	Well Record wa	as completed o	n (Modellay/yr)	}	10-15-97	
	business nar		rup y	IVV. 10 Jy	LU	by (signatu		\mathcal{L}		
INSTRU	CTIONS: Use typh and Environment	pewriter or ball point pent, Bureau of Water.	oen. <i>PLEASE PRES</i> Topeka, Kansas 66	S FIRMLY and PRINT clearly. F 620-0001. Telephone: 913-296	lease fill in blanks, -5545. Send one to	underline or circle t	the correct answers. Send	top three cours	ppies to Kansas Department	