	WA	TER WELL RECORD Fo	rm WWC-5 KSA 82a	a-1212	NWT
LOCATION OF WAT			Section Number		r Range Number
ounty: PAW)	UEF SW GW	14 SE 4 SE	14 32	1 T 21	S   R / (a EW)
istance and direction	from nearest town or city stree	t address of well if located w	ithin city?		
//	12 MAIN	LARNEN			
	NER: CONSTANT OF				
R#, St. Address, Box		_		Poard of Agricu	Iture, Division of Water Resources
	, ·	17000		_	
ity, State, ZIP Code	LARNED, KS	Q753U	10	Application Nur	niber:
AN "X" IN SECTION	DCATION WITH 4 DEPTH OF	F COMPLETED WELL	the ELEVA	ITION: 17963C	. 2
AIT X III GEOTION	Depth(s) Grou	undwater Encountered 🔟 🗥	<i></i>	<b>2</b>	. π. 3
! !	I WELL'S STAT	TIC WATER LEVEL ./ -/	${\cal P}$ ${\cal I}$ . ft. below land su	rface measured on mo/	day/yr <i>()   [.] () [</i>
,,,,,		ump test data: Well water w	as ft. a	after ho	urs pumping gpm
NW	Est. Yield	gpm: Well water w	as ft. a	ifter ho	urs pumping gpm
	Bore Hole Dia	ameter 8,25 in to	12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	and	in. toft.
w		•	Public water supply	8 Air conditioning	11 Injection well
i	1 Domes		Dil field water supply	9 Dewatering	
SW	SE		awn and garden only		TE Other (Opeciny below)
	2 Irrigatio				***************************************
	Was a chemic	cal/bacteriological sample sub		,	If yes, mo/day/yr sample was sub-
<u>S</u>	mitted		Wa	ater Well Disinfected?	
TYPE OF BLANK C	ASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS	: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below	w)	Welded
2 PVC	4 ABS	7 Fiberglass		/	Threaded
lank casing diameter		2 ft., Dia	<u>.i</u> n. to	ft., Dia	in. to ft.
asing height above la	and surface 6.89	in., weight	)	ft. Wall thickness or ga	uge No SCH. Y.O
• •	R PERFORATION MATERIAL:	, 3	7 PVC	10 Asbestos	· , -
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (s	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	•	ed (open hole)
	RATION OPENINGS ARE:				
	( )	5 Gauzed	• •	8 Saw cut	11 None (open hole)
1 Continuous slot	-	6 Wire wra	•	9 Drilled holes	
2 Louvered shutte	er 4 Key punched	<sup>7</sup> Torch cu	1 7	• • • • • • • • • • • • • • • • • • • •	
CREEN-PERFORATE	ED INTERVALS: From	ft. to	et., Fro	m . ,	ft. to
	From	ft. to			. , ft. to
GRAVEL PAC	CK INTERVALS: From			m	. ft. toft.
	From	ft. to	ft., Fro	m	ft. to ft.
GROUT MATERIAL:	: 1 Neat cement	2 Cement grout	3 Bentonite 4	Other	
rout Intervals: Fron	n	) ft., From	to	ft., From	ft. to
hat is the nearest so	ource of possible contamination		10 Lives	stock pens	14 Abandoned water well
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel	storage	15 Oil well/Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon		lizer storage	
	•	9 Feedyard			Other (specify below)
•	er lines 6 Seepage pit	9 reedyard		- /	.4.5.7
Pirection from well?	LITUOLOG	10.100	<del>-</del>	iny feet?	GING INTERVALS
FROM TO	LITHOLOG	iio LOG	FROM TO	FLOGG	SING INTERVALS
2 + 3	SILTY CLAY				
3_ /3_	5A~D				
13 24	SAMO! GRA	VEC.			
14 25	SHALT				
<i>-</i>   <i>-</i>					
					1
<del></del>			<del></del>		
CONTRACTOR'S	OR LANDOWNER'S CERTIFIC	ATION: This water well was	(1) constructed (2) rec	onstructed or (3) plugg	ed under my jurisdiction and was
		•			4
		a			3 1212/21
	<i>71. 7</i>	/ 17	•		1
			by (signa		///
ompleted on (mo/day/ later Well Contractor's nder the business nar INSTRUCTIONS: Use type	year) . 0.1/.09./0./s License No	This Water Well This Water Well This Water Well This Water Well	and this reco Record was completed by (signa fill in blanks, underline or circl	ord is true to the bost of on (mo/de///r/) ature)	ed under my jurisdiction and was my knowledge and belief. Kansas 3 . Z