

1] LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Pawnee		SE ¼ SE ¼ NE ¼		32		T 21 S		R 16 <input checked="" type="checkbox"/> W	
Distance and direction from nearest town or city street address of well if located within city? 624 Santa Fe Street in Larned, KS									
2] WATER WELL OWNER: Janet Tauscher RR#, St. Address, Box # : 624 Santa Fe City, State, ZIP Code : Larned, KS 67550 Board of Agriculture, Division of Water Resources Application Number:									
3] LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4] DEPTH OF COMPLETED WELL: 141 ft. ELEVATION:						
			Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 38 ft. below land surface measured on mo/day/yr 9-26-01 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 9 7/8 in. to 142 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes. No. <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes HTH No						
			5] TYPE OF BLANK CASING USED:						
			1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued. <input checked="" type="checkbox"/> Clamped. 2 PVC 4 ABS 7 Fiberglass 9 Other (specify below) Welded Threaded. Blank casing diameter 5 in. to 121 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 24 in., weight SDR-26 lbs./ft. Wall thickness or gauge No.						
			TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 7 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) ft. SCREEN-PERFORATED INTERVALS: From 121 ft. to 141 ft., From ft. to ft. From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 142 ft. to 33 ft., From ft. to ft. From ft. to ft., From ft. to ft.						
6] GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other hole plug Grout Intervals: From 33 ft. to 0 ft., From ft. to ft., From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) House Direction from well? West How many feet? 30 ft.									
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS			
0	3	top soil							
3	28	sandy brown clay							
28	32	<del>XXXX</del> sand and gravel							
32	33	yellow clay							
33	75	fire clay							
75	80	yellow clay and shale							
80	93	sand rock							
93	102	gray shale							
102	142	sand rock							
7] CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-3-01 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 134 This Water Well Record was completed on (mo/day/yr) 10-5-01 under the business name of Rosencrantz-Bemis by (signature) Fredia Rodson									