WATER WELL RECORD Form W	WC-5 Division of Water Resources; App. No.
1 LOCATION OF WATER WELL: Fraction County: Pawnee SE 1/4 SI	Section Number Township Number Range Number E ½ SW ½ 21 T 21 S R 16 W dress of well if Global Positioning System (decimal degrees, min. of 4 digits)
Distance and direction from nearest town or city street addlocated within city? Larned / Pawnee Co. Municipal Airpo	ort Latitude:
2 WATER WELL OWNER: City of Larned	Longitude: Elevation:
RR#, St. Address, Box # : 417 Broadway	Datum:
City, State, ZIP Code : Larned, KS 67550	Data Collection Method:
3 LOCATE WELL'S 4 DEPTH OF COMPLETED LOCATON	WELL 45' It.
	ered1 36'& rising ft. 2 ft. 3 ft.
SECTION BOX: WELL'S STATIC WATER LE	VEL 1980.10 ft. below land surface measured on mo/day/yr 8/9/07
N Pump test data: Wel	l water was ft. after hours pumping gpm
Est. Yield gpm: Wel	l water was ft. after hours pumping gpm
1	AS: 5 Public water supply 8 Air conditioning 11 Injection well
W E Domestic 3 Feed lot 6 Oi	I field water supply 9 Dewatering 12 Other (Specify below) omestic (lawn & garden) 10 Monitoring well
, , , , , , ,	omestic (lawn & garden) 10 Monitoring wen
Was a chemical/bacteriological	sample submitted to Department? Yes No X; If yes, mo/day/yrs
Sample was submitted	Water Well Disinfeated? Ves No V
5 TYPE OF CASING USED: 5 Wrought Iron	8 Concrete tile CASING JOINTS: Glued Clamped nt 9 Other (specify below) Welded Threaded X a in. to ft., Dia in. to ft. t lbs./ft. Wall thickness or gauge No.
1 Steel 3 RMP (SR) 6 Asbestos-Cemer	nt 9 Other (specify below) Welded
2 PVC 4 ABS 7 Fiberglass	Threaded X
Blank casing diameter 2 in. to 30 ft., Di	a in. to ft., Dia in. to ft.
Casing height above land surface in., Weigh	t lbs./ft. Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 P	VC 9 ARS 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 8 R	YC 9 ABS 11 Other (specify) M (SR) 10 Asbestos-Cement 12 None used (open hole)
ICCDEEN OD DEDEOD ATION ODENINGS ADE:	
1 Continuous slot 3 Mill slot 5 Guaze wi	rapped 7 Torch cut 9 Drilled holes 11 None (open hole) pped 8 Saw Cut 10 Other (specify) 30 ft. to 45 ft. From ft. to ft.
SCREEN-PERFORATED INTERVALS: From	30 ft. to 45 ft. From ft. to ft.
From	ft. to ft. From ft. to ft.
GRAVEL PACK INTERVALS: From	ft. to ft. From ft. to ft. 28 ft. to 45 ft. From ft. to ft.
From	n. to n. to t. from t. to t.
6 GROUT MATERIAL: 1 Neat cement 2 Cement	grout 3 Bentonite 4 Other m ft. to ft. From ft. to ft.
Grout Intervals From 1 ft. to 26 ft. From	m ft. to ft. From ft. to ft.
What is the nearest source of possible contamination:	
1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lag	10 Livestock pens 13 Insecticide Storage 16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard	12 Fertilizer storage 15 Oil well/ gas well Lust Site
Direction from well? Northeast	How many feet? 101'
FROM TO LITHOLOGIC LOG	FROM TO PLUGGING INTERVALS
0' 2' Silty, light brown, dry.	
2' 14' Clay, very silty, brown, low plastic 14' 17' Clay, light brown, slightly moist.	MW10
14' 17' Clay, light brown, slightly moist. 17' 45' Clay, very silty, brown, low plastic	
Tr 45 Cat, 4 very back, 52 cm passes	
	CATION: This water well was (1) constructed. (2) reconstructed, or (3) plugged
under my jurisdiction and was completed on (mo/day/year) 7/2 Kansas Water Well Contractor's License No. 594	23/07 and this record is true to the best of my knowledge and belief. This Water Well Record was completed on (mo/day/year) 9/13/07
under the business name of Coranco Great Plains	by (signature)
INSTRUCTIONS: Please fill in blanks or circle the correct answers. So	end top three copies to Kansas Department of Health and Environment, Bureau of Water,
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.	

KSA 82a-1212