WATER WELL RECORD	Form WWC-5	Division of	f Water Resources; App. No	20100019	
1 LOCATION OF WATER WELL:	Fraction	Section Num			
	SW 1/4 SW 1/4 SW 1/4		T 21 S	R 16w E/W	
Distance and direction from nearest town or c	ity street address of well if		oning Systems (decimal d		
located within city?	ity surest address of Well II	I = •	•	• ,	
1 1/2E, 1N of Larned, KS					
2 WATER WELL OWNER: DeborahFox		Longitude:			
		Elevation:			
C' C' C' TID C 1		Datum:			
Larned, KS 07550			Data Collection Method:		
3 LOCATE WELL'S 4 DEPTH OF COM LOCATION	PLETED WELL72		ft.		
WITH AN "X" IN Depth(s) Groundwate:	r Encountered (1)14	ft. (2)	ft. (3	6) ft.	
SECTION BOX: WELL'S STATIC WAR	WELL'S STATIC WATER LEVEL				
	n: Well water was				
WELL WATER XXX	USED AS: 5 Public wat	er supply 8	Air conditioning 11	Injection well	
$ \mathbf{w} = 1$ $ \mathbf{w} = 1$ Domestic 3 Fee	dustrial 6 Oil field water 7 Domestic (law	supply 9	Dewatering 12	Other (Specify below)	
SW SE Was a chemical/bacte	riological sample submitted	to Denartment?	Yes No.	· If yes mo/day/yrs	
	d W				
5 TYPE OF CASING USED: 5 Wrought	Iron 8 Concrete ti	le CA	ASING JOINTS: Glued.	Clamped	
1 Steel 3 RMP (SR) 6 Asbestos	-Cement 9 Other (spec	ify below)	Welded	d	
2 PVC 4 ABS 7 Fiberglas	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded				
2 PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 5 in. to 32 ft., Diameter in. to ft., Diameter in. to ft.					
Casing height above land surface. 3 ft. belo	OW in Weight 2.8	lbs/ft Wa	II thickness or guage No	Sch. 40	
TYPE OF SCREEN OR PERFORATION MATI	FRIAI:	105./1t.	in unekness of gauge 140		
1 Steel 3 Stainless Steel 5 Fiberglass <u>7 PVC</u> 9 ABS 11 Other (Specify)					
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
		out 9 Drilled I	holes 11 None (one)	n hale)	
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)					
From					
GRAVEL PACK INTERVALS: From 23 ft. to 72 ft., From ft. to ft.					
From					
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
6 GROUT MATERIAL: 1 Neat cement 2	Cement grout 3 Bentonit	4 Other			
Grout Intervals: From3 ft. to	.23 ft., From	 ft. to	ft., From	ft. toft.	
What is the nearest source of possible contamina			,		
1 Septic tank 4 Lateral lines		estock pens	13 Insecticide storage	16 Other (specify	
2 Sewer lines 5 Cess pool	1 2	•	14 Abandoned water we		
3 Watertight sewer lines 6 Seepage pit	0 0	Ç	15 Oil well/gas well		
Direction from well?	•	_			
FROM TO LITHOLOGIC			PLUGGING IN		
TROM TO BITTOPOOL	7		gravel	· I DIC VI I DO	
Fox Zook 1-23	2		bentonite		
FOX 200K 1-23		3 0	top soil		
Sterling Drilling			cop 3011		
P. 0. Box 1006	Company				
Pratt, KS 67124					
7 CONTRACTOR'S OR LANDOWNER'S C	ERTIFICATION: This wa	ter well was (1)	constructed, (2) reconstru	ucted, or (3) plugged	
under my jurisdiction and was completed on (mo	/day/year) . 04/01/10	and this record is	true to the best of my kr	nowledge and belief.	
Kansas Water Well Contractor's License No	.186 This Water Well	Record was comi	oleted on (mo/day/year) ⁽	14/09/10	
under the business name of Kelly's Water	Well Service, Inc.	by (signature)	Kathum I	Mary /	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLE</u> .					
	ASE PRESS FIRMLY and PRINT of			e correct answers. Send tor	
three copies to Kansas Department of Health and Environme 785-296-5522. Send one to WATER WELL OWN	ent, Bureau of Water, Geology Sec	learly. Please fill in ion, 1000 SW Jackso	blanks, underline or circle the on St., Suite 420, Topeka, Kan	sas 66612-1367. Telephone	