WATER WELL RECORI	)	Form WWC-5	Division of Water	Resources App. No.	20100461	
1 LOCATION OF WATER V	I		Section Number	01 ·	Range Number	
County: Pawnee		NE 1/4 SW 1/4 NW 1/2	<del></del>		R 16 □E XXW	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:						
from nearest town or intersec		Latitude: (in decimal degrees)				
1/2E of Larned, KS			Longitude: (in decimal degrees)			
			Elevation:			
2 WATER WELL OWNER: Larry L. Carr			Collection Method:			
RR#, Street Address, Box #: 615 Morris			GPS unit (Make/Model:)			
City, State, ZIP Code : Larned, KS 67550			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey  Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m			
3 LOCATE WELL			Est. Accuracy:	3 m, <u></u> 3-5 m, <u></u> 3	)-15 m, ∐>15 m	
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL			74 ft			
· · · · · · · · · · · · · · · · · · ·					) ft.	
	WELL'S STATIC WATER LEVEL17ft. below land surface measured on mo/day/yr.11/30/10					
	Pump test data: Well water wasft. after hours pumpinggp					
EST.	EST. YIELD80gpm. Well water wasft. after hours pumping					
W X   E   Bore Hole Diameterin. toft., andin. toft.						
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well						
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below						
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well						
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☒ No  If yes, mo/day/yr sample was submitted						
Water well disinfected?   Yes   No						
5 TYPE OF CASING USED: Steel PVC Other Other						
CASING JOINTS: Glued Clamped Welded Threaded  Casing diameter5 in. to						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)						
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped 😨 Saw cut ☐ Other (specify)						
From						
GRAVEL PACK INTERVALS: From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination:						
	☐ Lateral lines ☐ Pit☐ Cesspool ☐ Set			-	r (specify below)	
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well						
Direction from wellEas:			from well100			
	ITHOLOGIC LOG	FROM			GGING INTERVALS	
0 2 top soil						
2 4 clay			Carr	L-34		
4 20 sand and	ravel					
20 22 clay			Sterli	<u>ing Drilling</u>	Company	
22 35 sand and	<del>gravel</del>			Box 1006		
35 59 clay	J		Pratt.	KS 67124		
59 73 sand and	gravel					
73 74 shale	J					
7 CONTRACTORS OF LAST	DOUATEDIO CEN	TIEICATION. TI		-4-1 🗖 1	ata d a 🗆 1	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/day/year). 11/20/10 and this record is true to the best of my knowledge and belief						
under my jurisdiction and was completed on (mo/day/year)11/.30/.10 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No1.86 This Water Well Record was completed on (mo/day/year)12/.1/.10						
under the husiness name of	11v'c 142+22 11	ioll Copyrice Tra	hy (signature)	on (mo/day/year)	~12/11/10	
under the business name ofKelly'sWaterWell Service Inc by (signature)						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at						
Telephone 785-296-5522. Send one of	opy to WATER WELL	OWNER and retain one for	vour records. Include fee	of \$5.00 for each con	nstructed well. Visit us at	