

1 LOCATION OF WATER WELL:		Fraction NE ¼ SE ¼ SE ¼		Section Number 32	Township Number T 21 S	Range Number R 16 E W
County: Pawnee						
Distance and direction from nearest town or city street address of well if located within city? 103 East 3rd Street, Larned, Kansas						
2 WATER WELL OWNER: Pawnee Co. Coop						
RR#, St. Address, Box #: 103 East 3rd Street				Board of Agriculture, Division of Water Resources		
City, State, ZIP Code: Larned, Ks. 67550				Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 19 ft. ELEVATION:				
<p>N NW NE SW SE X S</p> <p>W E</p> <p>1 Mile</p>		Depth(s) Groundwater Encountered 1 Dry ft. 2 ft. 3 ft.				
		WELL'S STATIC WATER LEVEL NA/999 ft. below TOC measured on mo/day/yr				
		Pump test data: Well water was ft. after hours pumping gpm				
		Est. Yield gpm: Well water was ft. after hours pumping gpm				
		Bore Hole Diameter 7 7/8 in. to ft., and in. to ft.				
		WELL WATER TO BE USED AS:				
		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well				
		Was a chemical/bacteriological sample submitted to Department? Yes No ✓ If yes, mo/day/yr sample was submitted				
		Water Well Disinfected? Yes No ✓				
5 TYPE OF BLANK CASING USED:						
1 Steel		3 RMP (SR)		5 Wrought iron		CASING JOINTS: Glued Clamped
2 PVC		4 ABS		6 Asbestos-Cement		Welded
				7 Fiberglass		Threaded ✓
Blank casing diameter 2 in. to 14 ft., Dia				in. to ft., Dia		
Casing height above land surface -3 in., weight				lbs./ft. Wall thickness or gauge No. Sch. 40		
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel		3 Stainless steel		5 Fiberglass		7 PVC
2 Brass		4 Galvanized steel		6 Concrete tile		8 RMP (SR)
						9 ABS
						10 Asbestos-cement
						11 Other (specify)
						12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot		3 Mill slot		5 Gauzed wrapped		8 Saw cut
2 Louvered shutter		4 Key punched		6 Wire wrapped		11 None (open hole)
				7 Torch cut		9 Drilled holes
						10 Other (specify)
SCREEN-PERFORATED INTERVALS:						
From 14 ft. to 19 ft., From				ft. to ft.		
GRAVEL PACK INTERVALS:		From 12 ft. to 19 ft., From		ft. to ft.		
		From ft. to ft., From		ft. to ft.		
6 GROUT MATERIAL:						
1 Neat cement		2 Cement grout		3 Bentonite		4 Other
Grout Intervals: From 0 ft. to 5 ft., From		5 ft. to 12 ft., From		ft. to ft.		
What is the nearest source of possible contamination:						
1 Septic tank		4 Lateral lines		7 Pit privy		10 Livestock pens
2 Sewer lines		5 Cess pool		8 Sewage lagoon		11 Fuel storage
3 Watertight sewer lines		6 Seepage pit		9 Feedyard		12 Fertilizer storage
						13 Insecticide storage
						14 Abandoned water well
						15 Oil well/Gas well
						16 Other (specify below)
Direction from well? west				How many feet? 50		
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	
0	4"	gravel and sand (fill)				
4"	7'	brown silty clay				
7'	7.5'	grey brown sitly clay			VOB2	
7.5	19	fine to coarse sand/fine to medium gravel				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 03-01-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 03-17-93 under the business name of GeoCore Services, Inc. by (signature) Dale A. Holt						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.						