		WATER WE	ELL RECORD	Form WWC-5			
LOCATION OF W		Fraction		L L	tion Number	Township Number	Range Number
ounty: Pawnee)		SW 1/4		33	T 21 S	R 16W E/W
		n or city street addres	s of well if locate	d within city?			
in Iarned							
	wner: Mrs. 3	_				D. of Amilanti	Divinion of Motor Departmen
l#, St. Address, B	lox # : 554 W		=			_	ure, Division of Water Resource
y, State, ZIP Code		d, Kansas 675				Application Numb	
LOCATE WELL'S AN "X" IN SECTION	LOCATION WITH	4 DEPTH OF COMP	LETED WELL	.50	. ft. ELEVA	rion: Unknown	
AN X IN SECTION	T I	Depth(s) Groundwater WELL'S STATIC WAT	Encountered 1	. 22 22 . ft. b		ace measured on mo/da	ft. 3 ft. ay/yr 5/.7/85
1	- -						s pumping gpn
NW	- 146						s pumping gpr
i		Bore Hole Diameter.	in. to	. 50	ft., a	ınd	in. to
W	T '	WELL WATER TO BE	E USED AS:	5 Public water	r supply	8 Air conditioning	
l l	!	1 Domestic	3 Feedlot	6 Oil field wat	er supply	9 Dewatering	12 Other (Specify below)
SW	- 36	2 Irrigation	4 Industrial				
y		Was a chemical/bacte	riological sample	submitted to De			f yes, mo/day/yr sample was su
	\$	mitted			Wat	er Well Disinfected? Ye	s No
TYPE OF BLANK	CASING USED:	5 V	Vrought iron	8 Concre	ete tile	_	Glued Clamped
1 Steel	3 RMP (SF	R) 6 A	sbestos-Cement		(specify below	-	Welded
2 PVC	4 ABS						Threaded
ink casing diamete	er 5	.in. to . 3.0	. ft., Dia	in. to		ft., Dia	in. to ft
sing height above	land surface	$\dots \dots 12\dots$ in., v	weight	.2.8	Ibs./f	t. Wall thickness or gau	ge No Sch • . 40
PE OF SCREEN	OR PERFORATION	N MATERIAL:		7 PV	<u> </u>	10 Asbestos-	cement
1 Steel	3 Stainless	steel 5 F	iberglass	8 RM	P (SR)	11 Other (spe	ecify)
2 Brass	4 Galvaniz	ed steel 6 C	Concrete tile	9 AB	S	12 None use	d (open hole)
REEN OR PERF	ORATION OPENING	GS ARE:	5 Gauz	ed wrapped		8 Saw cut	11 None (open hole)
1 Continuous s	slot 3 Mi	ill slot	6 Wire	wrapped		9 Drilled holes	
2 Louvered shi	utter 4 Ke	ey punched	7 Torch	cut		10 Other (specify)	
REEN-PERFORA	TED INTERVALS:	From	10 ft. to .	. 50	ft., Fror	n	ft. toff
		From	ft. to .		ft., Fror	n <i></i>	ft. toff
GRAVEL P	ACK INTERVALS:	From 1	.Ω ft. to .	. 50	ft., Fror	n	ft. tof
		From	ft. to		ft., Fron	n	ft. to
GROUT MATERIA	AL: 1 Neat o	cement 2 Ce	ment grout	3 Bento	nite 4	Other	
out Intervals: Fr	om Q	ft. to . <u>1</u> .0	ft., From	ft.	to	ft., From	ft. to
nat is the nearest	source of possible	contamination:			10 Livest	ock pens	14 Abandoned water well
1 Septic tank 4 Later		al lines	7 Pit privy		11 Fuels	storage	15 Oil well/Gas well
2 Sewer lines 5 Ces		pool 8 Sewage lag				izer storage 16 Other (specify below)	
3 Watertight se	wer lines 6 Seepa	age pit	9 Feedyard		13 Insect	icide storage	• • • • • • • • • • • • • • • • • • • •
ection from well?	South				How man	y feet?	50
ROM TO		LITHOLOGIC LOG		FROM	то	LITHC	LOGIC LOG
0 10	Clay		200				
10 50	Sand and g	gravel	P. (4) (5) (1)				
							AND
						. 2	*
							*

001771077	00.14	VO 0555555	-	- (1)			
							l under my jurisdiction and wa
	ıy/year)5/.7./.85				and this recor	d is true to the best of m	y knowledge and belief. Kansa
				ell Record was		1	6/.9/85
er the business r	name of Kelly	s Water Well	Service		by (signat	ure) Sory /	2000
							le the correct answers. Send to
e copies to Kansa NER and retain :	as Department of He one for your record	aıın ano ⊑nvironment, l s.	DIVISION OF ENVIROR	ment, Environr	nental Geolog	у эеспоп, торека, КS 66	620. Send one to WATER WEL