

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Pawnee 073</u>	<u>NW 1/4 SE 1/4 NE 1/4</u>	<u>32</u>	T <u>21</u> S	R <u>16</u> EW

Distance and direction from nearest town or city street address of well if located within city?

1006 Broadway, Larned, KS

2 WATER WELL OWNER: <u>Mike Hickel</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>Route 1</u>	Application Number:
City, State, ZIP Code: <u>Larned, KS 67550</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>29</u> ft. ELEVATION: <u>2002.78</u>
	Depth(s) Groundwater Encountered 1. <u>22</u> ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL <u>21.6</u> ft. below land surface measured on mo/day/yr <u>4/20/94</u>
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield gpm: Well water was ft. after hours pumping gpm
Bore Hole Diameter <u>8</u> in. to ft., and in. to ft.	
WELL WATER TO BE USED AS:	5 Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> If yes, mo/day/yr sample was submitted	Water Well Disinfected? Yes <u>No</u>

5 TYPE OF BLANK CASING USED:	5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
2 PVC 4 ABS 7 Fiberglass Threaded <u>X</u>	
Blank casing diameter <u>2</u> in. to ft. Dia. in. to ft. Dia. in. to ft.	
Casing height above land surface <u>-0.3</u> in., weight lbs./ft. Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION MATERIAL:	10 Asbestos-cement
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:	8 Saw cut 11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From <u>14</u> ft. to <u>29</u> ft. From <u>12</u> ft. to <u>31</u> ft.	
GRAVEL PACK INTERVALS: From ft. to ft. From ft. to ft.	

6 GROUT MATERIAL:	1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals: From <u>0</u> ft. to <u>12</u> ft. From ft. to ft. From ft. to ft.	
What is the nearest source of possible contamination:	10 Livestock pens 14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
Direction from well? <u>SE</u>	How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	0.5	Pavement - concrete			
0.5	19	Brown, Silty Clay, to with sand			
19	24	Brown, Sand, trace gravel			
24	31	Brown, Sand, trace to with clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>3/16/94</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>529</u> This Water Well Record was completed on (mo/day/yr) <u>8/19/94</u> under the business name of <u>Geotechnology, Inc.</u> by (signature) <u>[Signature]</u>
--