			TER WELL RE	CORD For	rm WWC-5	KSA 82	a-1212 ID I			
		TER WELL:	Fraction				Section Number		nip Number	Range Number
County: Pa			SE ½			1/4	23	T 21	· <u> </u>	R 17W E/W
			wn or city street	address of we	ell if located	within city?	?			
	Larne		'i canol							
		NER: Jay C								
RR#, St. Add City, State, Z	IP Code	: Larne	Box 97 ed, KS 675				-	Applica	ation Number:	Division of Water Resource
			4 DEPTH OF							
AN "X" IN S	SECTION	BOX:	Depth(s) Grou		untered	1100		ft. 2	ft. 3	ft.
	1 1	ı	WELL'S STAT	IC WATER LE	VEL	.0.0 ft. b	elow land surfa	ice measured of	n mo/day/yr	07,/07,/05gpr
.	1	1	Est. Yield	50 gpm:	Well wate	r was	ft.	after	hours p	umping gpr
1	4W -	- NE	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning						oning 11 Ir	njection well
w	i	E	1 Domesti 2 Irrigation				ter supply	9 Dewatering		Other (Specify below)
"	!	E	2 migation	4 111003	ourar 7	Domestic (iawii & gaideii)	10 Montoning	weii	
s	sw	- SE	Mas a chamic	al/baatarialasi	ical cample	aubmittad t	o Donortmant?	Vac No	. If was m	aa/day/ura aamala waa ayb
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No								no/day/yrs sample was sub No		
	, X						•			
5 TYPE OF	BI ANK C	ASING USED:	470	5 Wrought	iron	9 Con	crete tile	CASING	LONTS: Cluc	d Clamped
1 Steel	DEANIC	3 RMP (SI	R)	6 Asbestos			er (specify below			dled
2 PVC		4 ABS	•	7 Fiberglas	ss				. Thre	aded
										fi in. to
				in., weig	ht2.	8		lbs./ft. Wall th	ickness or guag	ge NoSch40
	REEN OF	PERFORATIO					PVC		Asbestos-Cem	
1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Ste				3			8 RMP (SR) 9 ABS		11 Other (Specify)	
	DEDEOD			O CONCIER					140/16 daed (of	•
1		ATION OPENIN	NGS ARE: Iill slot			zed wrappe wrapped	a	8 Saw cut 9 Drilled ho	iles	11 None (open hole)
1	uous slot red shutter		ey punched		7 Torch					ft
		D INTERVALS:		165	ft to	205	ft Fron	n	ft to	ft
00/122/7/2			From	××	ft. to	**************************************	ft., Fron	n	ft. to	fi
GR GR	RAVEL PAC	CK INTERVALS	: From	38	ft. to	205	ft., Fron	n	ft. to	ft
			From		11. 10		It., Fron	n	π. το	ft
6 GROUT	MATERIA	L: 1 Nea	t cement	2 Cemer	nt grout	3 Be	entonite	4 Other		
Grout Interva	ls: From	ıO	ft. to3.8	ft., F	rom	f	t. to	ft., From		ft. toft
What is the n	earest sou	rce of possible	contamination:				10 Lives	stock pens	14 A	bandoned water well
1 Septic tank 4 Lateral			ral lines	7 Pit privy			11 Fuels		15 C	Dil well/Gas well
2 Sewer lines 5 Cess pool			pool	8 Sewage lagoon		lagoon	12 Ferti	lizer storage	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit					9 Feedyard			cticide storage	meta.	shed
Direction from		South						iny feet? 50		
FROM	то		LITHOLOGI	C LOG		FROM	то		PLUGGING IN	TERVALS
0	2	top soi	L							
2	15	clay		1010						
15	35	sand roo	CK				+			
35 162	162	shale	ale.							
102	205	sand roo	.K							
						<u> </u>				
-				**-						
			0.074	4-111		<u> </u>				
								1		
			1///-					1.000		
7 CONTRAC	TOR'S O	R LANDOWNF	R'S CERTIFICA	TION: This w	ater well w	as (1) cons	structed (2) rec	constructed or i	(3) plugged upo	der my jurisdiction and wa
	(mo/dav/ve	ear)	07/07/05	11113 W			and this re	ecord is true to the	he best of my kr	nowledge and belief. Kansa
Water Well Co	ontractor's	Licence No	186		This Water	Well Reco	rd was complete	ed on (mo/day/)	(r)07/12,	/05
under the busi			y's Water					(signature)		Lyond
		vriter or ball point pe	n. <i>PLEASE PRESS I</i>	IRMLY and PRIN	Clearly. Please	e fill in blanks,				to Kansas Department of Health
		Water, Geology Second Constructed well.	ction, 1000 SW Jacks	ion St., Suite 420,	Topeka, Kansa	s 66612-1367.	Telephone 785-296-	5522. Send one to V	VATER WELL OWNE	ER and retain one for your
			· · · · · · · · · · · · · · · · · · ·							