WATER WELL RECO	ORD Form WWC-5	KSA 82a	-1212 ID I	No		
1 LOCATION OF WATER WELL: Fraction County: Pawnee SE 1/4	SE ¼ SW ¼	Se	ection Number 23	Township Number	Range Number R 17w E/W	
Distance and direction from nearest town or city street ac	······································	ithin city?				
3W, 1N of Larned, KS						
2 WATER WELL OWNER: Jay Giessel						
RR#, St. Address, Box # : RR 1, Box 97 City, State, ZIP Code : Larned, KS 675				Application Number:	Division of Water Resources	
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF CO				ATION: UNKNOWN		
	water Encountered 1	100		ft. 2 ft. :	3ft.	
WELLS STATIC	warer Level	.Uπ. be vas	low land surfa	ce measured on mo/day/yr after hours	oumping apm	
Est. Yield	gpm: Well water v	vas	ft.	after hours	pumping gpm	
WELL WA!ER X		ıblic water	117		njection well	
W E 2 irrigation			er supply wn & garden)	9 Dewatering 12 (Other (Specify below)	
	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	a garaon,	To Monitoring Won		
SW SE Was a chemical	bacteriological sample su	hmitted to	Department?	Yes; If yes,	mo/day/yrs sample was sub-	
X mitted	adionological campio ca	Diffiction to	V	Vater Well Disinfected? Yes	No	
S						
	5 Wrought iron	8 Conci	rete tile	CASING JOINTS: Glue	ed Clamped	
	6 Asbestos-Cement		(specify below		ded	
	7 Fiberglass				eaded	
Blank casing diameter	ft., Dia		in. to	ft., Dia	ft.	
Casing height above land surface3ftbelow	in., weight			_	-	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel	5 Fiberglass	7 PVC 8 RMP (SR)			10 Asbestos-Cement 11 Other (Specify)	
1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Steel	6 Concrete tile	9 AI		12 None used (o		
SCREEN OR PERFORATION OPENINGS ARE:	5 Guazeo	wranned		8 Saw cut	11 None (open hole)	
1 Continuous slot 3 Mill slot	6 Wire w			9 Drilled holes	11 None (open noie)	
2 Louvered shutter 4 Key punched	7 Torch c	ut		10 Other (specify)	N ∕ :A·····.ft.	
SCREEN-PERFORATED INTERVALS: From	A ft. to		ft., Fron	າ ft. to	oft.	
From	ft. to		ft., Fron	າ ft. to	oft.	
GRAVEL PACK INTERVALS: From	: ?. ft. to		ft., Fron	1 ft. to 1 ft. to	oft.	
FIORI	IL IO	•••••	11., FIOII	1 IL. U	JIL.	
6 GROUT MATERIAL: 1 Neat cement	2 Cement grout	3 Ber	tonite	4 Other		
Grout Intervals: From3	ft., From	ft.	to	ft., From	ft. toft.	
What is the nearest source of possible contamination:			10 Lives	stock pens 14	Abandoned water well	
1 Septic tank 4 Lateral lines	7 Pit privy		11 Fuel storage		Oil well/Gas well	
		lagoon 12 Fertilizer storag		-	Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedy			13 Insecticide storage			
Direction from well?			How ma			
FROM TO LITHOLOGIC	LOG	FROM	ТО	PLUGGING II	VIERVALS	
		205	100	sand and gravel		
		100	3	bentonite		
		3	0	_topsoil		
					and a second	
					10.10	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATI	ON: This water well was	(1) constr	ucted, (2) rec	onstructed, or (3) plugged un	der my jurisdiction and was	
completed on (mo/day/year)			and this re	ecord is true to the best of my k	nowledge and belief. Kansas	
Water Well Contractor's Licence No1.86	This Water W	ell Record	was complete	ed on (mo/day/yr)07./1.2	2/05	
under the business name of Kolli			by	(signature)	Le Han	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIR						
and Environment, Bureau of Water, Geology Section, 1000 SW Jackson						