


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Pawnee	NW 1/4 NW 1/4 SE 1/4	31	T 21 S	R 17 E

Distance and direction from nearest town or city street address of well if located within city?

4 1/2 east of Sanford, Ks.

2 WATER WELL OWNER:	Margaret Moffet	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	Box 88	
City, State, ZIP Code :	Larned, Ks. 67550	Application Number: 27578

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 145 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL . . . 32 ft. below land surface measured on mo/day/yr . . . 5-13-91 Pump test data: Well water was ft. after hours pumping gpm Est. Yield .500 . . . gpm: Well water was 92 ft. after . . . 3 hours pumping . . . 500 . . . gpm Bore Hole Diameter . . . 26 in. to 145 ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes. No. <u>X</u>; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <u>hth</u> No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	10 Asbestos-cement
Blank casing diameter . . . 16 in. to . . . 105 ft., Dia in. to ft., Dia in. to ft.			
Casing height above land surface . . . 12 in., weight . . . SDR32.5 lbs./ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Fiberglass	8 RMP (SR)	11 Other (specify)
1 Steel	3 Stainless steel	6 Concrete tile	9 ABS
2 Brass	4 Galvanized steel	7 Torch cut	10 Other (specify)
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Lowered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From . . . 105 ft. to . . . 145 ft., From ft. to ft.		
	From ft. to ft., From ft. to ft.		
GRAVEL PACK INTERVALS:	From . . . 20 ft. to . . . 145 ft., From ft. to ft.		
	From ft. to ft., From ft. to ft.		

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From . . . 0 ft. to . . . 20 ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
				none

Direction from well?			How many feet?		
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Top soil			
3	17	Clay			
17	34	Soft clay			
34	47	Sand			
47	53	Sand and clay			
53	61	Blue mud			
61	78	Clay			
78	103	Fire clay			
103	124	Sand rock			
124	126	Rock			
126	134	Sand rock			
134	137	Rock			
137	143	Sand rock			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . . . 6-6-91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. . . . 134 This Water Well Record was completed on (mo/day/yr) . . . June 10-91 under the business name of Rosencrantz-Bemis by (signature) Freda Dodson
--