USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | r of well: PAWNER SW1/4 SW1/4 NW1/4 | | | Section number | | Township number | Range number | | |
|--|-------------------------------------|----------------|---------------|----------------|-----|---|--|--------------------|--|
| 1. Location of well: | | | k /1/4 | | | т 2 1 s | R 18 | 5 /W | |
| 2. Distance and direction from nearest town or city: 3 F 3. Owner | | | | | l: | 1 21 s Howard Z | COOK | | |
| Street address of well location if in city: ROZEI, KS R.R. or street: City, state, zip code: | | | | | | Rozel, KS | | | |
| 4. Locate with "X" in | | iketch map: | | | | 6. Bore hole dia. 34 in Well depth 180 ft. | Completion date | , , | |
| i i | 1 | | | | | 7 Cable tool Rotary | | | |
| \land \wedge \land \text{E} =- | | | | | | Hollow rod Jetted Bored 💃 Reverse rotary | | | |
| ₩ X | | | | | | 8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock | | | |
| - SW | SE | | | | | Lawn O | il field water Ot | her | |
| 1 | | | | | | 9. Casing: Material TR Threaded Welded X | | L in. | |
| S I ⊲ 1 Mil | le | | | | | PVC | | _lbs./ft. | |
| 5. Type and color of material | | | | From | То | Dia in. to ft. depth gage No | | | |
| | 1.2 C 1 | -011 | | 0 | 22 | | err | | |
| | Top Soil Sand | ·Cray | - | _ | 27 | Type <u>Syee/</u> Slot/gauze //9" | _ Dia | | |
| | | | | 27 | 47 | Set betweenft. andft. | | | |
| | <u> </u> | | | 47 | 127 | Gravel pack?K Size ra | 37 | -3/4" | |
| | Sd Nd - | Rock | | 127 | 180 | 11. Static water level:ft. below land sur | | /day/yr. | |
| | | | | | | 12. Pumping level below land | surfaces: | | |
| | | | | | | | 72. 3 | g.p.m. | |
| | | | | | | Estimated maximum yield | 900 | g.p.m. /day/yr. | |
| 10000 | | | | | | | Date | / ddy/ yi . | |
| | | | | | | 14. Well head completion: Pitless adapter | 24 Inches above s | grade | |
| | | | | | | 15. Well grouted? X | | | |
| | | | | | | With: X Neat cement | Bentonite C ft . | oncrete | |
| | | | | | | 16. Nearest source of possible ft. DD Direction | | edd | |
| | | | | | | Well disinfected upon comple | | X No | |
| | | | | | | 17. Pump: Manufacturer's name | oulds | | |
| | | | | | | Model number 3/25 Length of drop pipe 170 | HP <u>4 </u> | 546.6 | |
| | | | | | | Туре: | | a.h | |
| | | | | | | Submersible Jet | Turbine Recipro | | |
| 18. Elevation: | (Use a second shape) | eet if needed) | | | L | Centrifugal 20. Water well contractor's of | Other | | |
| 5062 | ize nemura; | | | | | This well was drilled under m | y jurisdiction and this | | |
| Topography: | | | | | | is true to the best of my know | ledge ond belief. <u>or We</u> ll Ser | - 38 | |
| Hill Slope | | | | | | Business name R2 Br | eat Berli | nse No. | |
| Upland | | | | | | Signed Authorized rep | Date | 4-1-7 | |
| Valley | | | | | | Autigrized rep | 103011141146 | 4 لــــــــ | |