

1 LOCATION OF WATER WELL: Fraction		Section Number		Township Number		Range Number	
County: Pawnee		SE 1/4 SE 1/4 SE 1/4		28		T 21 S	
Distance and direction from nearest town or city street address of well if located within city?						R 19 EW	
2 WATER WELL OWNER: Don Shank		RR#, St. Address, Box # P.O. Box 27		Board of Agriculture, Division of Water Resources			
City, State, ZIP Code Burdett, KS 67523		The Store-Rozel IAS #3		Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 60 ft. ELEVATION:					
		Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft.					
		WELL'S STATIC WATER LEVEL n/a ft. below land surface measured on mo/day/yr					
		Pump test data: Well water was ft. after hours pumping gpm					
		Est. Yield gpm: Well water was ft. after hours pumping gpm					
		Bore Hole Diameter 8 in. to 60 ft. and in. to ft.					
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
		1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
		2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well					
		Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted					
		Water Well Disinfected? Yes No X					
5 TYPE OF BLANK CASING USED:		5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped					
1 Steel 3 RMP (SR)		6 Asbestos-Cement 9 Other (specify below) Welded					
2 PVC 4 ABS		7 Fiberglass Threaded X					
Blank casing diameter 2 in. to 58 ft. Dia		in. to ft. Dia in. to ft.					
Casing height above land surface 0 in. weight .716 lbs./ft. Wall thickness or gauge No. .154							
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)							
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes							
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From 58 ft. to 60 ft. From ft. to ft.							
GRAVEL PACK INTERVALS: From 56 ft. to 60 ft. From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals From 3 ft. to 44 ft. From 44 ft. to 56 ft. From ft. to ft.							
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well					
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well?		How many feet?					
FROM TO CODE LITHOLOGIC LOG FROM TO PLUGGING INTERVALS							
0 .6 Cement							
.6 2 Dk clay							
2 12 Silty clay, stiff, moist							
12 25 Silty clay							
25 32 Fine grained, silty qtz sand, some fine clay str							
32 42 Med to coarse grained sand, dry							
42 49 Sand & gravel, wet & loose							
49 60 Loose sand & gravel							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was							
completed on (mo/day/yr) 02/06/02 and this record is true to the best of my knowledge and belief. Kansas							
Water Well Contractor's License No. 554 This Water Well Record was completed on (mo/day/yr) 07/12/02							
under the business name of Woofter Pump & Well, Inc. by (signature) [Signature]							
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.							