WALE	K WEJ	LL RECORD	Form W	WC-5	D	ivision of Wate	r Resources App. N	lo		
1 LOCATION OF WATER WELL:			Fraction		Secti	ion Number	Township No.			
County: Pawnee			¼ NW ¼ NE	1/4 NW 1/4	.] .	7	R 19 □E 🗹 W			
Stree	Street/Rural Address of Well Location; if unknown, distance & direction						Global Positioning System (GPS) information:			
from	from nearest town or intersection: If at owner's address, check here .						Latitude: (in decimal degrees)			
3W	3W, 4N of Rozel, KS					Longitude: (in decimal degrees)				
577, 177 ST 1625, 170						Elevation:				
2. WATED WELL OWNED.						<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
2 WATER WELL OWNER: Lippert Family Trust B						Collection Method: GPS unit (Make/Model:)				
RR#, Street Address, Box #: RR 1 Box 140										
City, State, ZIP Code : Bison, KS 67520						Digital Map/Photo, Topographic Map, Land Survey				
Est. Accuracy:										
1	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 86									
1	TION BO									
SEC	N N	WELL'S STATIC WATER LEVEL 36								
		WELL S STATE	test date: Well wate		. DEIOW	iailu suitace i	hours num	ning		
	Pump test data: Well water was									
	V N									
W	WELL WATER TO BE USER AS TO Relie with a second sec									
	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well									
sw se										
	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☐ No									
S If yes, mo/day/yr sample was submitted										
water well disinfected: W 1es 100										
5 TYPE OF CASING USED: Steel PVC Other										
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded										
Casing diameter .5 in. to .66 ft., Diameter in. to ft., Diameter ft.										
Casing height above land surface. 12										
TYPE OF SCREEN OR PERFORATION MATERIAL:										
	Steel	☐ Stainless Steel	₽ VC PVC] Other (Specify)		• • • • • • • • • • • • • • • • • • • •		
. —	Brass	☐ Galvanized Steel		ole)						
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)										
□ Louvered shutter □ Key punched □ Wire wrapped ☑ Saw cut □ Other (specify)										
SCREEN-PERFORATED INTERVALS: From										
GRAVEL PACK INTERVALS: From 23 ft. to 86 ft., From ft. to ft. to							το π.			
	GKA V									
From										
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other										
		est source of possible conta	 riviii		π. ω	IL.,	riom	11. 10		
What is the nearest source of possible contamination: □ Septic tank □ Lateral lines □ Pit privy □ Livestock pens □ Insecticide storage ☑ Other (specify below)										
Sewer lines Cesspool Sewage lagoon Fuel storage										
			t Feedyard	Fertilizer s		Oil well/ga		e - in pasture		
Direction from well										
FROM	TO	LITHOLOGI		FROM	TO			JGGING INTERVALS		
0	1	top soil			h-tida					
1	60	clav								
60	81	sand and gravel								
81	86	shale								
-		311410								
							-			
						ļ	***************************************			
 		W		 	·					
7 CONTRACTORS OR LANDOWNERS CERTIFICATION. This was all to The second to										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, or plugged										
under my jurisdiction and was completed on (mo/day/year) .0.7/.0.7/.1.4										
under the business name of Kelly's Water Well Service, Inc. by (signature)										
		Use typewriter or ball point pen.								
MOTRUC	Kansas De	epartment of Health and Environm	i <u>lease fress fikmlf</u> nent. Bureau of Water Geol	ogy Section 1	earry. Ple 000 SW	ase iii in dianks Jackson St. Suite	and effect the correct 420. Toneka Kansa	s 66612-1367		
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html										