WATER	WEL	L RECORD	Form WWC	C-5	Division of Water	r Resources App. N	0.	
		OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
County: Pawnee			1/4 SW 1/4 SW 1/4		26 T 21 S R 19 □E [			
		ddress of Well Location; i			Global Positioning System (GPS) information:			
from n	from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees)		
1 1/2	1 1/2E of Rozel, KS					Longitude: (in decimal degrees) Elevation:		
					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Joe Colglazier					Collection Method:	τ, <u> </u>	NAD 21	
RR#, Street Address, Box #: 2532 U Road					GPS unit (Make/Model:)			
C'. C ZID C. I			S 67574	Digital Map/Photo, Topographic Map, Est. Accuracy: <a>  St. Accuracy</a> <a>  Topographic Map, <a>  St. Accuracy</a> <a>  St. Accura</a></a>		c Map, Land Survey		
				Est. Accuracy: \_ <	3 m, ∐ 3-5 m, ∐	5-15 m,  □ >15 m		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 113 ft.								
		Depth(s) Groundwater Encountered (1).45						
SEC 1	N WELL'S STATIC WATER LEVEL. 45ft. below land surface measured on mo/day/yr12/03/14							
	Pump test data: Well water wasft. after hours pumping							
EST. YIELD. 15gpm. Well water wasft. after						hours pum	ping gpm	
w   NW	w F. Bore Hole Diameter						.ft.	
	WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well							
sw	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
	Industrial Domestic-lawn & garden Monitoring well stocks							
was a chemical/bacteriological sample submitted to Department?								
S If yes, mo/day/yr sample was submitted								
Water well distincted: [2] 1es [] 1es								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to .53 ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface. 12								
TYPE OF SCREEN OR PERFORATION MATERIAL:  ☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From 23 ft. to 113 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: Neat cement Cement grout Dentonite Other								
Grout Intervals: From .0								
What is the nearest source of possible contamination:								
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well  Direction from well								
FROM	TO	LITHOLOG		ROM			JGGING INTERVALS	
0	2	top soil	IC EOO 1	ROM	10 21111012	<u> </u>		
2	38	clav						
38	62	sand and gravel		-				
	105	soft clay w/ sand & gra	vel streaks				1.07.17	
	113	shale						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .12/03/14 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 186 This Water Well Record was completed on (mo/day/year) 12/07/14								
under the	busine	Ss name of Nelly S Nate	PIFACE PRESS FIRMING	PRINT AL	. by (Signature)	and check the correct	answers Send one copy to	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html