unty: PAWNEE stance and direction from nearest town	Id BlowBlo w		_					ber
WATER WELL OWNER: IMPERIA		4 SW 1/4		т 21	S	R	19w.	E/W
	or city street address of well	if located within	city?					
	1/2 W. OF ROZE	L.KS.						
# Ot Address Day #	AL OIL PROPERTI	ES, INC.						
#, St. Address, Box # : 212 N . I	MARKET #513			Board o	f Agriculture, l	Division	of Water F	Resource
, State, ZIP Code : WICHI		3		Applicat	ion Number:	95-0	066	
OCATE WELL'S LOCATION WITH 4								
NI "V" INI SECTIONI POV.	a Depth(s) Groundwater Encount							
W NW NE E E V V V V V V V V	Pump test data: V Pump test data: V Est. Yield	Vell water was . Vell water was . in. to	ft. ft. ft. ft. water supply d water supply and garden only t to Department?	after	hours pu hours pu in ing 11 12 vell; If yes, cted? Yes	mping . mping . to Injection Other (S	well Specify bek /yr sample No	ow) was su
1 Steel 3 RMP (SR)	_	-	Other (specify bel					
7 PVC 4 ABS	7 Fiberglass		• • •					
nk casing diameter 5 ir	•							
sing height above land surface								
PE OF SCREEN OR PERFORATION					Asbestos-ceme			
1 Steel 3 Stainless			8 RMP (SR)		Other (specify)			
			9 ABS					
2 Brass 4 Galvanized				8 Saw cut	None used (op			nolo\
REEN OR PERFORATION OPENING		5 Gauzed wrapp			_	II NO	ne (open t	Ю Ю)
1 Continuous slot 3 Mill		6 Wire wrapped		9 Drilled hole				
2 Louvered shutter 4 Key	rpunched From	7 Torch cut	n	10 Other (spe				
REEN-PERFORATED INTERVALS:								
	From		•					
	From 2 ()	. II. to 9.7	8 π Hi	rom	T I. T	0		π
GRAVEL PACK INTERVALS:	F	-				_		
	From	ft. to	ft., Fr	rom	ft. t		· · · · · · · · · · · · · · · · · · ·	ff
GROUT MATERIAL: 1 Neat ce	ement 2 Cement gro	ft. to	ft., Fr	rom 4 Other	ft. t			
GROUT MATERIAL: 1 Neat ce	ement 2 Cement gro t. to 2.0 ft., Fro	ft. to	ft., Fi Bentonite . ft. to	rom 4 Other ft., From	ft. t			
GROUT MATERIAL: 1 Neat ce out Intervals: From0ft at is the nearest source of possible or	ment 2 Cement gro t. to 2.0 ft., Fro ontamination:	ft. to out X m	ft., Fi Bentonite . ft. to	rom 4 Other ft., From estock pens	ft. t	ft. to	o ed water w	
GROUT MATERIAL: 1 Neat ce out Intervals: From	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit	ft. to out 3 m	ft., Fi Bentonite . ft. to	rom 4 Other ft., From estock pens el storage	ft. t	ft. to bandone il well/G	o ed water w as well	······fi ······fi
GROUT MATERIAL: 1 Neat ce out Intervals: From0ft at is the nearest source of possible of 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess p	ement 2 Cement group to to	ft. to out m privy vage lagoon	ft., Fi Bentonite . ft. to 10 Livi 11 Fue 12 Fer	4 Other ft., From estock pens el storage tillzer storage	ft. t	ft. to bandone il well/G	o	······fi ······fi
GROUT MATERIAL: 1 Neat ce ut Intervals: From0ft at is the nearest source of possible of 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess p 3 Watertight sewer lines 6 Seepage	ement 2 Cement group to to	ft. to out 3 m	ft., Fi Bentonite . ft. to 10 Live 11 Fue 12 Fer 13 Inse	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone il well/G	o	······fi ······fi
GROUT MATERIAL: 1 Neat ce ut Intervals: From0ft at is the nearest source of possible of 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess postion from well?	ement 2 Cement gro t. to	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillzer storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	vell
GROUT MATERIAL: 1 Neat ce ut Intervals: From 0 fit is the nearest source of possible of 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess p 3 Watertight sewer lines 6 Seepagetion from well?	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon	ft., Fi Bentonite ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	······f
GROUT MATERIAL: 1 Neat ce ut Intervals: From0fi at is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepage oction from well? ROM TO 3 TOP SOT	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	······f
AROUT MATERIAL: 1 Neat ce 1 Intervals: From	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	vell
AROUT MATERIAL: 1 Neat ce 1 Intervals: From	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	······f vell
GROUT MATERIAL: 1 Neat ce 1 Intervals: From0ft 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 1 Seeparticition from well? 1 TOP SOI 1 ON TO 1 TOP SOI 1 ON TO CLAY	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	······f
GROUT MATERIAL: 1 Neat ce 1 Intervals: From0ft 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 1 Seeparticition from well? 1 TOP SOI 1 ON TO 1 TOP SOI 1 ON TO CLAY	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	······f
GROUT MATERIAL: 1 Neat ce ut Intervals: From0ft at is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepagestion from well? 3 TOP SOI 60 CLAY	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	······fi ······fi
GROUT MATERIAL: 1 Neat ce ut Intervals: From0ft at is the nearest source of possible of 1 Septic tank	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	vell
GROUT MATERIAL: 1 Neat ce ut Intervals: From0ft at is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepage oction from well? 7 TOP SOI 60 CLAY	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	······f
GROUT MATERIAL: 1 Neat ce ut Intervals: From0ft at is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepagestion from well? 3 TOP SOI 60 CLAY	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	vell
GROUT MATERIAL: 1 Neat ce ut Intervals: From 0 fit at is the nearest source of possible of 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess p 3 Watertight sewer lines 6 Seepagestion from well? ROM TO TOP SOI 60 CLAY	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	······fi ······fi
GROUT MATERIAL: 1 Neat ce ut Intervals: From 0 fit at is the nearest source of possible of 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess p 3 Watertight sewer lines 6 Seepagestion from well? ROM TO TOP SOI 60 CLAY	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	······fi ······fi
GROUT MATERIAL: 1 Neat ce out Intervals: From	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	······fi ······fi
GROUT MATERIAL: 1 Neat ce ut Intervals: From 0 fit at is the nearest source of possible of 1 Septic tank 4 Lateral 2 Sewer lines 5 Cess p 3 Watertight sewer lines 6 Seepagestion from well? ROM TO TOP SOI 60 CLAY	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	vell
GROUT MATERIAL: 1 Neat ce ut Intervals: From0ft at is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepagestion from well? 3 TOP SOI 60 CLAY	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	······fi ······fi
GROUT MATERIAL: 1 Neat ce out Intervals: From	ment 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee	ft. to out m privy vage lagoon odyard	ft., Fi Bentonite . ft. to	4 Other ft., From estock pens el storage tillizer storage ecticide storage	ft. t	ft. to bandone vil well/G other (sp E . K.N.(ed water was well ecify below	······fi ······fi
GROUT MATERIAL: 1 Neat ce out Intervals: From0ft at is the nearest source of possible of 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 6 Seepage ection from well? ROM TO 3 TOP SOI 60 CLAY	ement 2 Cement gro t. to 2.0 ft., Fro contamination: I lines 7 Pit cool 8 Sev ge pit 9 Fee LITHOLOGIC LOG E.L.	ft. to out	ft., Fi Bentonite . ft. to	4 Other	ft. t	ft. to bandone bil well/G tther (sp E . K.Ŋ (od water was well ecify below	vell
GROUT MATERIAL: 1 Neat ce out Intervals: From	ement 2 Cement group to to 2.0	ft. to out	ft., Fi Bentonite . ft. to	4 Other	ft. t	ft. to bandone bil well/G ther (sp E.KN)	od water was well ecify below D.W.N	and wa
GROUT MATERIAL: 1 Neat central intervals: From	ement 2 Cement group to to 2.0 ft., From the contamination: I lines 7 Pit to 2001 8 Sevent 9 Feet 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ft. to out \$\frac{3}{3}\$ m privy vage lagoon odyard FRO er well was \$\frac{3}{3}\$) co	ft., Fi Bentonite . ft. to	4 Other	ft. t	ft. to bandone bil well/G ther (sp E.KN)	od water was well ecify below DW N	and wa