

1 LOCATION OF WATER WELL: County: McPherson		Fraction SE ¼ NW ¼ NE ¼	Section Number 27	Township Number T 21 S	Range Number R 2 EW
Distance and direction from nearest town or city street address of well if located within city? South Edge of Moundridge Elementary School Property					
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code :		Mid-Kansas Co-op 307 West Cole Moundridge, Kansas		01968024 MW-12 Shallow Board of Agriculture, Division of Water Resources Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center; margin-top: 10px;">N ┌───┬───┐ │NW │NE │ ├───┴───┤ │SW │SE │ X └───┬───┘ S</div>		4 DEPTH OF COMPLETED WELL: 25 ft. ELEVATION: Approx Surface 1480 Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 14 ft. below land surface measured on mo/day/yr 12/18/96 Pump test data: Well water was ft. after hours pumping gpm Est. Yield N/A gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8.25 in. to 25 ft., and in. to ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only ⑩ Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) ② PVC 4 ABS		5 Wrought iron 8 Concrete tile 6 Asbestos-Cement 9 Other (specify below) 7 Fiberglass		CASING JOINTS: Glued Clamped Welded Threaded X	
Blank casing diameter 0 in. to 10 ft., Dia in. to ft., Dia in. to ft.		Casing height above land surface -2 in., weight lbs./ft. Wall thickness or gauge No. Schedule 40			
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		10 Asbestos-cement 11 Other (specify) 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot ③ Mill slot 2 Louvered shutter 4 Key punched		5 Gauzed wrapped 8 Saw cut 11 None (open hole) 6 Wire wrapped 7 Torch cut		9 Drilled holes 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 10 ft. to 25 ft., From ft. to ft.		GRAVEL PACK INTERVALS: From 8 ft. to 25 ft., From ft. to ft.			
6 GROUT MATERIAL: ① Neat cement 2 Cement grout ③ Bentonite 4 Other		Grout Intervals: From 0 ft. to 6 ft., From 6 ft. to 8 ft., From ft. to ft.			
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard		10 Livestock pens 14 Abandoned water well 11 Fuel storage 15 Oil well/Gas well 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage			
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	8.0	Silty, Lean to Fat Clay, Dk Brown			
8.0	12.0	Silty, Lean to Fat Clay, Red-Brown			
12.0	18.0	Sandy Lean Clay, Gray			
18.0	25.0	Clayey, Fine to Medium Sand, Tan to Gray			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ① constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12/21/96 and this record is true to the best of my knowledge and belief. Kansas Water Contractor's License No. 416 This Water Well Record was completed on (mo/day/yr) 8-27-97 under the business name of Terracon Consultants, Inc. by (signature) Steve Fischer					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					