

WATER WELL R		WWC-5 1362	DI	vision of Water			
Original Record Correction Chang     LOCATION OF WATER WELL:				ction Number	rces App. No. Well ID Well ID On Number Township Number Range Number		
County: $\frac{1}{4}$				$\frac{1}{4}$ T S R $\square$ E $\square$ W			
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and							
Business: direction from nearest town or intersection): If at owner's address, check here:						· · · · · · · · · · · · · · · · · · ·	
Address:							
Address: City:	State:	ZIP:					
3 LOCATE WELL							
WITH "X" IN	4 DEPTH OF CO			5 Latitude:(decimal degrees)			
SECTION BOX:		Encountered: 1)		Longit	Longitude:(decimal degrees)		
N		3) ft., or 4) [ ATER LEVEL:			Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:		
		below land surface, measured on (mo-day-yr).			GPS (unit make/model:)		
NW NE		above land surface, measured on (mo-day-yr).			$(WAAS enabled? \square Yes \square No)$		
	Pump test data: Well water was ft.				Land Survey Topographic Map		
W E	after hours pumping				line Mapper:		
SW SE	Well water was ft.     after hours pumping gpm						
		Estimated Yield:gpm			6 Elevation:ft.  Ground Level  TOC		
S		Bore Hole Diameter: in. to ft			Source:  Land Survey  GPS  Topographic Map		
1 mile	in. to ft.				□ Other		
7 WELL WATER TO BE USED AS:							
1. Domestic:		ater Supply: well ID		10. Oil Field Water Supply: lease			
☐ Household ☐ Lawn & Garden	6. $\Box$ Dewater			11. Test Hole: well ID			
Livestock	7. ☐ Aquifer 8. ☐ Monitor			☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?			
2. Irrigation	9. Environmer			a) Closed Loop 🗌 Horizontal 🗌 Vertical			
3. Feedlot	Air Spar	Extraction	b) Open Loop $\Box$ Surface Discharge $\Box$ Inj. of Water				
4. 🗌 Industrial	Recovery Injection			13.			
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:							
Water well disinfected?  Yes No							
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.							
Casing height above land surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:         Steel       Fiberglass         Fiberglass       Other (Specify)							
Steel       Stainless Steel       Fiberglass       PVC       Other (Specify)         Brass       Galvanized Steel       Concrete tile       None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)							
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.							
9 GROUT MATERIAL:  Neat cement  Cement grout  Bentonite  Other							
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. o ft. to ft.							
Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage							
Sever Lines     Cess Pool     Sevage Lagoon     Fuel Storage     Abandoned Water Well							
Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well							
Direction from well? ft.							
	LITHOLO		FROM		tt. LITHO. LOG (cont.) or PI	LUCCINC INTEDVALS	
10 FROM TO		GIULUG	FROM	10	LITHO. LOG (cont.) of PI	LUGGING INTERVALS	
			Notes:				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged							
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No							
under the business name	e of						
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212							