

WATER WELL R		vv vv C-3	03204		ion of Water		W 11 ID		
		ge in Well Use			rces App. No.	E 1: N 1	Well ID	N. 1	
1 LOCATION OF WA	Fraction	1/ 1/	Secti	on Number	Township Numb		ge Number		
County:	1/4 1/4	1/4 1/4			T S	R	$\Box E \Box W$		
2 WELL OWNER: La	First:		Street or Rural Address where well is located (if unknown, distance and						
Business: Address:	direction from nearest town or intersection): If at owner's address, check here:							neck nere:	
Address:									
City:	State:	ZIP:							
3 LOCATE WELL	4 DEPTH OF COM	IPI FTFD WFI I		ft. 5 Latitude:(decimal degrees)					
WITH "X" IN	Depth(s) Groundwater 1			Longitude:					
SECTION BOX:	2) ft. 3								
IN .	WELL'S STATIC WATER LEVEL:								
	□ below land surface, measured on (mo-day-yr				GPS (unit make/model:)				
NW NE	above land surface, measured on (mo-day-yr)					(WAAS enabled? □		o)	
	Pump test data: Well w		☐ Land Survey ☐ Topographic Map						
W E	after hours Well w			☐ Online Mapper:					
SW SE	after hours								
	Estimated Yield:gpm			6 Elevation:tt. Ground Level TOC					
S	Bore Hole Diameter:	ft. and	t. and Source: Land Survey GPS Topographic Map						
mile		ft.	Other						
7 WELL WATER TO BE USED AS:									
1. Domestic:		ter Supply: well ID				ield Water Supply: 1			
Household	6. Dewaterin								
☐ Lawn & Garden ☐ Livestock	7. ☐ Aquifer Re 8. ☐ Monitoring								
2. ☐ Irrigation	9. Environmenta								
3. ☐ Feedlot	☐ Air Sparge	or Extraction		b) Open Loop Surface Discharge Inj. of Water					
4. ☐ Industrial	☐ Recovery					(specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:									
Water well disinfected? Yes No									
8 TYPE OF CASING USED: Steel PVC Other									
Casing diameter in. to									
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)									
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft.									
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft.									
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other.									
Grout Intervals: From									
Nearest source of possible contamination:									
☐ Septic Tank	☐ Lateral Line				ivestock Pens		cide Storage		
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well									
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Oil Well/Gas Well									
Direction from well?		Distance from	 well?			ft			
10 FROM TO	LITHOLOG		FRO			THO. LOG (cont.) o		GINTERVALS	
, , , , , , , , , , , , , , , , , , , ,	21110200		1100	-					
	Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged									
11 CONTRACTOR'S	OR LANDOWNER'S	S CERTIFICATION OF THE SECTION OF TH	UN: This	water v	well was 🔲 o	constructed, \square reco	onstructed,	or ∐ plugged	
under my jurisdiction and was completed on (mo-day-year)									
under the business name	of	11115	۷۷ С1			·····	····		
under the business name of									
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									

KSA 82a-1212