		\A/A	TER WELL REC	OBD	Form WWC-	S KSAR	2a-1212 IE	D No.	NO. VOBWI					
	_	ATER WELL:	Fraction			Sec	tion Numbe		nship Nur			nge Numl	ber	
	awne		NW 1/4	<u>se</u>	½ SW		28	Т	2/	<u>s</u>	R	20	_E(V)	
			own or city street			,								
		INTA FE	Burde		Kansa	5 0	7523							
		ox # : P.O.	ght Shan					Boar	d of Aarid	culture	Division (of Water F	Resources	
City, State,	ZIP Code	: 10	rnod Kal	NSAS (07550 Board of Agriculture, Division Application Number:										
3 LOCATE	WELL'S L	OCATION WITH	4 DEPTH OF C	OMPLE	TED WELL	35	ft. ELE\	VATION:	2/2	ي ، و	:7			
AN "X" II	N SECTIO	ON BOX:	Depth(s) Ground	lwater En	countered	1 3 0	1	ft. 2		ft. 3	3		ft.	
T	1	<u> </u>	WELL'S STATIC											
T	NNA/	NE			ta: Well wate									
		NE	Est. Yield Bore Hole Diame	eter <i>10</i>	125 in to	was 35	7n	and		. 110015	in to		ypm ft	
® w —		E	WELL WATER T								Injection v			
Ŧ '			1 Domestic	3 Fee	edlot 6 C	Dil field wate	r supply	9 Dewateri	ng	12		pecify belo		
		SE	2 Irrigation	4 Ind	ustrial 7 D	Oomestic (law	n & garden)	Monitorin	g well			• • • • • • • •	• • • • • •	
₩	X		Was a chemical/b	acteriolog	ical sample sul	omitted to De	partment? Yo	es) ;	If yes,	mo/day/y	rs sam <u>pl</u> e	was sub-	
<u> </u>	5	5	mitted					ter Well Disir				<u> </u>	<u> </u>	
		CASING USED:		_	ht iron tos-Cement	8 Concr	ete tile (specify be	CAS	ING JOIN			. Clampe		
1 Steel		3 RMP (SI 4 ABS	• • •	7 Fiberg			• •					PVC		
Rlank casi	ing diamei	er 23 54	in. to20	,						-		-		
Casing he	ight above	e land surface	7.08in	weiaht	0.8		lb	s./ft. Wall thi	ckness or	gauge	No. 50	H 40) 	
			TION MATERIAL:			7 €v			10 Asbe					
1 Steel 3 Stainless steel				5 Fiberg			/IP (SR)				•			
2 Bras		4 Galvaniz		6 Concre		9 AB	_		12 None	•	•	•	h-l-\	
	OR PERI	FORATION OPE	NINGS ARE: ill slot			ed wrapped wrapped		8 Saw o			I I NO	ne (open	noie)	
	ered shu		ey punched	_	7 Torch	cut							ft.	
SCREEN-	PERFOR	ATED INTERVAL	LS: From ?	, <i>O</i>	ft. to	35	ft., Fro	om		ft.	to		ft.	
,	CDAVE	DACK INTERVAL	FromLS: From		ft. to	35	ft., Fro	om om		ft.	to		ft.	
	GILAVEL	I AOR INTERVAL	From		ft. to	. 	ft., Fro	om		ft.	to		ft.	
6 GROUT	MATERI	AL: 1 Neat c		2 Cemer		3 Pento		4 Other						
Grout Inte	ervals: F	rom <i>15!</i>	ft. to ! .8	ft.	., From		. to	ft., F	rom		ft. to.		ft.	
What is the nearest source of possible contaminat							10 Livestock pens			14 Abandoned water well				
1 Septic tank 4 Lateral lines				7 Pit privy			11 Fuel storage			15 Oil well/Gas well				
2 Sewer lines 5 Cess pool				8 Sewage lagoor			n 12 Fertilizer storage 13 Insecticide storage			6 Other (specify below)				
3 Watertight sewer lines 6 Seepage pit Direction from well?				9 Feedyard			How many feet?							
FROM	TO		LITHOLOGIC LO	G		FROM	ТО	lany loot.	PLUG	GING	INTERVA	LS		
0'	23'		own, silty		Ldensit	en en			1					
			ah Plasticii		7	7								
23	28'	Sand, B	hwn. FIN	e, w	ell sotte	P								
- 401	2-1	MOIST	15W	6-1.										
28'	35	Sandst	one, Red	, 5an	uratea		-							
	<u> </u>													
							<u> </u>							
						1	-							
7 CONTR	ACTOR'S	OR LANDOWNE	R'S CERTIFICAT	ION: This	water well w	as (1) const	ructed. (2) re	reconstructed	or (3) pli	ugaed u	nder mv	jurisdiction	and was	
completed														
•	•										V.Z			
under the t	ousiness r	name of Com	nco Great	Plai	ns		by	(signature)	Lenis	eth	MA	3 /2	>	
INSTRUCT	TIONS: Use ty		n. <i>PLEASE PRESS FIR</i> i			fill in blanks, und	lerline or circle th	he correct answers	s. Send top th	ree copies	to Kansas D	epartment of	Health and	

Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.