USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)

2. Distance and direction from nearest town or city: BuzdeTre 2. Distance and direction from nearest town or city: BuzdeTre 2. Distance and direction from nearest town or city: BuzdeTre 3. Owner of well: D, R, Lauck Off Co. R.R. or street: City, state, zip code: \$55 Malay & Bud Ta. 4. Locate with "X" in section below: Sketch map: 6. Bore hole dia. 4 in. Completion date Well depth ft. 7. Cable tool & Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary	Cashart	t _c						(Water well Contractors) Topeko, Kansas 66620	
2. Distance and direction from nearest town or city: Bug deTe 2. Distance and direction from nearest town or city: Bug deTe 2. Now and the standard of the s	The state of the s	of walls of		, !	Section number		Township number	Range number	
Street address of well location if in city: 4. Locate with "X" in section below: N Sketch map: Sketch map: Sketch map: 6. Bore hole diain. Completion date	1. Location of well:			18		1 2/3	S R Z E/W		
Street address of well location if in city: 4. Locate with "X" in section below: N Sketch map: Sketch map: Sketch map: 6. Bore hole diain. Completion date	2. Distance and direction from nearest town or city: Bulder 3. Own			3. Owner	rof well: D. R. Lauck ail co.				
4. Locate with "X" in section below: Sketch map: Sketch	2 no	erh 2 west	<u> </u>	1100					
Well depth		, , , , , , , , , , , , , , , , , , ,		It Bud You.					
7Cable toolA Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary 8. Use:Domestic Public supply Industry Irrigation Air conditioning Stock Lown XOI field woter Other 9. Casing: Material Height: Above or below Threaded Welded X Surface in. RMP PVC Weight 1bs./ft. Dia in. to ft. depth ageNo 10s. 5. Type and color of material	· · · · · · · · · · · · · · · · · · ·						•	0.030	
8. Use:DomesticPublic supplyIndustryIrrigation Air conditioningStockLawnXOI field woterOther	l i []	I I							1
Irrigation Air conditioning Stock Lawn X Oil field water Other	 	NE					Hollow rod Je	ttedBoredReverse rotary	
Lawn X Oil field woter Other Lawn X Oil field woter Other	×								
9. Casing: Material	2 "						Irrigation _ Lawn	Air conditioning Stock X Oil field water Other	
RMP PVC A Weight 218 3 lbs./ft. Dia in. to 10 ft. depth Wall Thickness: inches or Dia in. to 10 ft. depth gage No. 10. Screen: Manufacturer's name 10. Screen: Manufacturer's name 10. Screen: Manufacturer's name 10. Screen: Manufacturer's name 11. Story and 90 ft. 12. Pumping level below land surfaces: 12. Pumping level below land surfaces: 13. Story and 90 ft. 14. after hrs. pumping g.p.m. 15. after hrs. pumping g.p.m.	sw	SE					9. Casing: Material	Height: Above or below	
Dia in. to CO ft. depth Wall Thickness: inches or Dia. in. to ft. depth gage No. 10. Screen: Manufacturer's name 11. Static water level: 11. Static water level: 12. Pumping level below land surfaces: 12. Pumping level below land surfaces: 12. Pumping level below land surfaces: 13. Static water level: 14. Off. depth Wall Thickness: inches or Dia. in. to ft. depth gage No. 15. Type and color of material 16. Screen: Manufacturer's name 17. Static water level: 18. Static water level: 19. Pumping level below land surface Date 19. Pumping g.p.m. 10. Screen: Manufacturer's name 11. Static water level: 11. Static water level: 12. Pumping level below land surfaces: 13. Screen: Manufacturer's name 14. Screen: Manufacturer's name 15. Static water level: 16. Screen: Manufacturer's name 17. Screen: Manufacturer's name 18. Screen: Manufacturer's name 19. Screen: Manufacturer's name 19. Screen: Manufacturer's name 19. Screen: Manufacturer's name 10. Screen: Manuf	<u> </u>								
10. Screen: Manufacturer's name Shop MAD* Type Saw Dia. 5 Slot/gauze 18 Length 20 Set between 10 ft. and 90 ft. Gravel pack 20 Size range of material 14-18. 11. Static water level: Cont. below land surface Date 12. Pumping level below land surfaces: ft. after hrs. pumping g.p.m. ft. after hrs. pumping g.p.m.	i e								
Special Clay 40 60 Special Clay 40 60 Slot/gauze 48 Length 20 Set between 110 ft. and 90 ft. ft. and ft. and ft. Gravel pack 20 Size range of material 44-48 11. Static water level: 60 ft. below land surface Date 1-70 12. Pumping level below land surfaces: 12. Pumping level below land surfaces: 13. Static water level: 14. after hrs. pumping g.p.m. 15. after hrs. pumping g.p.m.	5. Type and color of	material			From	To			
Type Saw Dia. 5 Slot/gauze 18 Length 20 Set between 10 ft. and 90 ft. Set between 10 ft. and 90 ft. Gravel pack 24 S. Size range of material 14-18. 11. Static water level: 60 ft. below land surface Date 1-70 12. Pumping level below land surfaces: 12. Pumping level below land surfaces: 13. Static water level: 14. after hrs. pumping g.p.m. 15. after hrs. pumping g.p.m.			<i>i</i>			1.	10 Screen: Manufactur	er's name <u>Flaticit</u>	
Set between			Clay		0	40		— —	
Soud Rock Gravel pack aut Size range of material Gravel pack aut Gravel			Soundy 1	May	4 D	40	Slot/gauze		
11. Static water level:			1.06	2/	-			ft. andft.	
12. Pumping level below land surfaces: — ft. after — hrs. pumping — g.p.m. — ft. after — hrs. pumping — g.p.m.			SANA M	out !	<u>40</u>	110		, u	1
12. Pumping level below land surfaces: ———————————————————————————————————								nd surface Date $8 - 9 - 78$	
ft. after hrs. pumping g.p.m.							12. Pumping level below	land surfaces:	
			•						
13. Water sample submitted: mo./day/yr.							· 😘	• •	
Yes No Date									ł
Pitless adapter 12_ Inches above grade							1		
15. Well grouted?						<u> </u>			12
With: Negt cement Bentonite Concrete Depth: From ft . to ft .									- ' J
16. Nearest source of possible contamination:									
ft Direction Type Well disinfected upon completion? Yes No								71	
17 Pumps Nick instelled									1 12
Manufacturer's name							Manufacturer's name		
Model number							ł		(₹)~
Type:									
									
(Use a second sheet if needed) — Centrifugal — Other		(Use a second s	heet if needed)						S C
1	18. Elevation:	19. Remarks:						- · · · · · · · · · · · · · · · · · · ·	
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.									
Topography: Much wall 143 213							Myer Wat	eewell 143	2 7
Hill KSlope Address GT Bond KS License No. Second KS Second	— Hill — Slope						Business name Address GT Bo	d Ks License No.	\$2
Upland Sign Floyd Resundah Dat 9-9-38	I						sign Hourd Re	sundahl Daty-9-7	
Volley							Authorize	·	Z 12

Forward the white, blue and pink copies to the Deportment of Health and Environment

Form WWC-5