

1 LOCATION OF WATER WELL: County: Pawnee		Fraction SE 1/4 NW 1/4 SE 1/4	Section Number 24	Township Number T 21 S	Range Number R 20W E/W
Distance and direction from nearest town or city street address of well if located within city? 3 W, 1 1/2 N of Rozel, Kansas					
2 WATER WELL OWNER: Allan Klein		Big Bend Water District		Board of Agriculture, Division of Water Resources	
RR#, St. Address, Box # : Rozel, Ks.		St. John, Kansas		Application Number: None	
City, State, ZIP Code : 67574		67576			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 129 ft. ELEVATION: Unknown			
		Depth(s) Groundwater Encountered 1. 44 ft. 2. 44 ft. 3. 7/27/83 ft.			
		WELL'S STATIC WATER LEVEL 44 ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was 60 gpm: Well water was 8 ft. after 129 hours pumping gpm			
		Bore Hole Diameter 8 in. to 129 ft., and 129 in. to ft.			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 <u>Observation well</u>			
Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: <u>Glued</u> Clamped			
1 Steel 3 RMP (SR)		6 Asbestos-Cement 9 Other (specify below) Welded			
2 <u>PVC</u> 4 ABS		7 Fiberglass Threaded			
Blank casing diameter 5 in. to 49 ft., Dia		5 in. to 69-109 ft., Dia			
Casing height above land surface 12 in., weight		2.8 lbs./ft. Wall thickness or gauge No. Sch. 40			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 <u>PVC</u> 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)		12 None used (open hole)			
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 <u>Saw cut</u> 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes		10 Other (specify)			
2 Louvered shutter 4 Key punched 7 Torch cut					
SCREEN-PERFORATED INTERVALS: From 49 ft. to 69 ft.		From 109 ft. to 129 ft.			
GRAVEL PACK INTERVALS: From 10 ft. to 129 ft.		From ft. to ft.			
6 GROUT MATERIAL: 1 <u>Neat cement</u> 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 10 ft.		From ft. to ft.			
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well		12 Fertilizer storage 16 Other (specify below)			
2 Sewer lines 5 Cess pool 8 Sewage lagoon 13 Insecticide storage					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard					
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	40	Clay			
40	69	Sand and Gravel			
69	80	Clay			
80	129	Sand and Gravel			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/27/83 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 186 . This Water Well Record was completed on (mo/day/yr) 9/6/83 under the business name of Kellys Water Well Service by (signature) <i>[Signature]</i>					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					

OFFICE USE ONLY

T

R

END

SEC.

SE 1/4

NW 1/4

SE 1/4

DP