LOCATION OF WA			ELL RECORD	Form WWC				· · · · · · · · · · · · · · · · · · ·
	i	Fraction			ection Number		p Number	Range Number
ounty: Pawne		NE 1/4 N	E ^{1/4} NE	1/4	36	<u> </u>	<u>21</u> S	I R 20 EW
	from nearest town o	-	ss of well it locate	ea within city	•			
3½ east c	f Burde tt ,Ks							
WATER WELL OV	VNER:	Ed	Eakin					
#, St. Address, Bo	x # :		107			Board	of Agriculture, I	Division of Water Resource
, State, ZIP Code	:		dett, Ks.	67523			ation Number:	
OCATE WELL'S L		DEPTH OF COMP	PLETED WELL	120	ft. ELE\	ATION:		
TYPE OF BLANK OF Steel 2 PYC_ nk casing diameter sing height above in Steel 2 Brass	Def WE NE NE I	Pump tes Pump tes Yield NA Pump tes Yield NA Pump tes Pum	t data: Well wat gpm: Well wat gpm: Well wat 10 in. to E USED AS: 3 Feedlot 4 Industrial triological sample Wrought iron asbestos-Cement Fiberglass ft., Dia weight 25 Fiberglass Concrete tile 5 Gauz	8 Conc 9 Othe in. tell 8 R 9 A zed wrapped	below land s	after	d on mo/day/yr hours pu hours	d _X Clamped ed
	, ,			n cut		٠.	• /	
			ft. to .					
GRAVEL PA	CK INTERVALS:	From	ft. to . ft. to . ft. to	120.	ft., Fı ft., Fı ft., Fı	om	ft. to	of of
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines	CK INTERVALS: 1 Neat ceme m()	From	ft. to . ft. to . ft. to . ment grout ft., From 7 Pit privy 8 Sewage lage	3 Ben	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer	om		o
GRAVEL PAGEOUT MATERIAL at Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sev	CK INTERVALS: 1 Neat ceme m()ft. tource of possible confidence of the c	From	ft. to . ft. to . ft. to . ment grout ft., From 7 Pit privy	3 Ben	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om		o
GRAVEL PA GROUT MATERIAL Intervals: Fro It is the nearest set Septic tank Septic tank Sewer lines Watertight sevention from well?	CK INTERVALS: 1 Neat ceme m()ft. tource of possible cont 4 Lateral lir 5 Cess poor	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the first of th
GRAVEL PA ROUT MATERIAL It Intervals: Fro t is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevetion from well?	CK INTERVALS: 1 Neat ceme m()ft. tource of possible cont 4 Lateral lir 5 Cess poor	From	ft. to	3 Ben	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. to ft	of the first of th
GRAVEL PA ROUT MATERIAL at Intervals: Fro t is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ction from well? OM TO	CK INTERVALS: 1 Neat ceme m()ft. tource of possible cont 4 Lateral lir 5 Cess poor	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the first of th
GRAVEL PA ROUT MATERIAL at Intervals: Fro t is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? OM TO 3	CK INTERVALS: 1 Neat ceme m()ft. tource of possible confidence of the following of the confidence of the con	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the first of th
GRAVEL PA ROUT MATERIAL It Intervals: Fro t is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevetion from well? OM TO 3 57	CK INTERVALS: 1 Neat ceme m()	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the first of th
GRAVEL PA ROUT MATERIAL at Intervals: Fro t is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? OM TO 3 57 65	CK INTERVALS: 1 Neat ceme m()ft. to purce of possible confused for the second seco	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the first of th
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? GOM TO 3 3 57 65 82	CK INTERVALS: 1 Neat ceme m()ft. t curce of possible cont 4 Lateral lir 5 Cess poc ver lines 6 Seepage L Top soil Clay Fine sand	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the first of th
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight severation from well? ROM TO 0 3 3 57 57 65 82 90	CK INTERVALS: 1 Neat ceme m()	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the first of th
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? FOM TO 1 3 3 57 65 65 82 90 117	CK INTERVALS: 1 Neat ceme m()ft. to purce of possible contour of the second of the secon	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the first of th
GRAVEL PA ROUT MATERIAL at Intervals: Fro t is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sew ction from well? OM TO 1 3 57 65 82 90 117	CK INTERVALS: 1 Neat ceme m()ft. to purce of possible contour of the second of the secon	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the first of th
GRAVEL PA ROUT MATERIAL at Intervals: Fro t is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? OM TO 3 57 65 82 90 117	CK INTERVALS: 1 Neat ceme m()ft. to purce of possible contour of the second of the secon	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the first of th
GRAVEL PA ROUT MATERIAL at Intervals: Fro t is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sew ction from well? OM TO 1 3 57 65 82 90 117	CK INTERVALS: 1 Neat ceme m()ft. to purce of possible contour of the second of the secon	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the first of th
GRAVEL PA ROUT MATERIAL at Intervals: Fro t is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sew ction from well? OM TO 1 3 5 57 65 65 62 90 117	CK INTERVALS: 1 Neat ceme m()ft. to purce of possible contour of the second of the secon	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the first of th
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? OM TO 3 3 5 7 6 5 8 9 9 117	CK INTERVALS: 1 Neat ceme m()ft. to purce of possible contour of the second of the secon	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the first of th
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? FOM TO 1 3 3 57 65 65 62 90 00 117	CK INTERVALS: 1 Neat ceme m()ft. to purce of possible contour of the second of the secon	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the to the pandoned water well ther (specify below)
GRAVEL PA GROUT MATERIAL aut Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? BOM TO 0 3 3 57 65 65 82 90 117	CK INTERVALS: 1 Neat ceme m()ft. to purce of possible contour of the second of the secon	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the to the pandoned water well ther (specify below)
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO 0 3 3 57 65 65 82 90 90 117	CK INTERVALS: 1 Neat ceme m()ft. to purce of possible contour of the second of the secon	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the to the pandoned water well ther (specify below)
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight severation from well? ROM TO 0 3 3 57 57 65 65 82 82 90 90 117	CK INTERVALS: 1 Neat ceme m()ft. to purce of possible contour of the second of the secon	From	ft. to	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse	om	ft. ti ft. ti ft. ti 14 Al 15 O 16 O	of the to the pandoned water well ther (specify below)
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 0 3 3 57 57 65 65 82 90 117 117 120	CK INTERVALS: 1 Neat ceme m()ft. to purce of possible cont 4 Lateral lir 5 Cess poct ver lines 6 Seepage L Top soil Clay Fine sand Sand and Clay Sand and Shale	From	ft. to ft.	120	tonite to 10 Live 11 Fue 12 Fer 13 Inse How m	om	14 Al 15 O 16 O PLUGGING II	oft. to
GRAVEL PA GROUT MATERIAL ut Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO 0 3 3 57 65 82 82 90 90 117 117 120	CK INTERVALS: 1 Neat ceme m()ft. tource of possible confused for the second ser lines of Seepage Top soil Clay Fine sand Sand and Clay Sand and Clay Shale OR LANDOWNER'S	From	ft. to ft.	3 Ben ft.	ft., Fi ft., Fi ft., Fi tonite to 10 Live 11 Fue 12 Fer 13 Inse How m TO	om	14 Al 15 O 16 O 79 PLUGGING II	or
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sew action from well? GOM TO 1 3 3 57 65 65 62 90 117 120 CONTRACTOR'S opleted on (mo/day)	CK INTERVALS: 1 Neat ceme m()ft. to purce of possible conformation of the second	From	ft. to ft.	3 Ben ft.	tonite to 10 Live 11 Fue 12 Fer 13 Inse How m TO	constructed, or (cord is true to the	ft. to ft	or ft. to bandoned water well il well/Gas well ther (specify below) NTERVALS
GRAVEL PA GROUT MATERIAL at Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ction from well? OM TO 1 3 3 57 67 65 65 62 90 117 120 CONTRACTOR'S opleted on (mo/day)	CK INTERVALS: 1 Neat ceme m()ft. tource of possible confused for the second ser lines of Seepage Top soil Clay Fine sand Sand and Clay Sand and Clay Shale OR LANDOWNER'S	From	ft. to ft.	3 Ben ft.	tonite to 10 Live 11 Fue 12 Fer 13 Inse How m TO	constructed, or (cord is true to the	ft. to ft	or ft. to