WAT	TER WE	LL RECORD	Form V	WWC-5	Division of W	/ater Resources App. N	16190	
		OF WATER WELL:	Fraction		Section Number			
	ounty: Par		1/4 NW 1/4 N			T 21 S	R 20 □E 🗹 W	
		Address of Well Location;				ing System (GPS) i		
		town or intersection: If at	owner's address, che	eck here .			(in decimal degrees)	
1	/4 North,	1 1/4 East of Burdett					(in decimal degrees)	
					Detum: T WG	S 84 TO NAD 82 T	 1 NAD 27	
2 WATER WELL OWNER: C&RLLC					Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: P.O. Box N					GPS unit (Make/Model:)			
City, State, ZIP Code : Pratt, Ks. 67124					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy:								
1	3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 112 ft.							
!	ECTION BO							
	N	N WELL'S STATIC WATER LEVEL. 48ft. below land surface measured on mo/day/yr. 61311						
1 X	Pump test data: Well water was .65							
1 1	EST. YIELD. 1463gpm. Well water was. 70ft. after. 3.1/2 hours pumping. 1463gpm							
w	W E Bore Hole Diameter 16							
-	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
	SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well							
	Was a chemical/bacteriological sample submitted to Department? Yes V No							
	S If yes, mo/day/yr sample was submitted							
water went disinfected? 🛂 1 es 📋 No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .16								
Casing height above land surface18 in., Weight Sch 40 lbs./ft., Wall thickness or gauge No								
Steel Stainless Steel ✓ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From							to ft.	
From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
		est source of possible conta	mination:					
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well None							2	
Di		n well		Fertilizer st			······	
FROM		LITHOLOG		FROM			GGING INTERVALS	
0	4	Top soil				C (COME) OF 1 DO	COMITO MILLIER TABLE	
4	16	Brown clay						
16	36	Gray clay						
36	61	Sand & gravel- small w	flat rock					
61	63	Gray clay				***************************************		
63	64	Small sand & gravel w/	clay mixed					
64	71	Tan clay						
71	89	Small sand & gravel w/						
89	97	Sand & gravel w/ clay n	nixed					
97	112	Soft sandstone						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .5-13-11 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 7-9-11								
under the business name of Rosnecrantz-Bemis by (signature) Scruzia (Line Line Line Line Line Line Line Line								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Toneka Kansas 66612-1367								
lelephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212 Check: ☑ White Copy, ☐ Blue Copy, ☐ Pink Copy								