WATER WELL RECORD	Form WWC-5	Division of Water	Resources App. No		
1 LOCATION OF WATER WELL		1 · · · · · · · · · · · · · · · · · · ·	Township No.	Range Number	
County: Pawnee	1/4 SE 1/4 SE 1/4 NE 1		T 21 S	R 20 □E ☑ W	
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:					
from nearest town or intersection:		Latitude: (in decimal degrees)			
2 3/4 North, 1/2 West of Burdett				(in decimal degrees)	
		Elevation:			
2 WATER WELL OWNER: Gary Pelton			, 🔲 NAD 83, 🗀	NAD 27	
RR#, Street Address, Box #: 3592 R Road		Collection Method: GPS unit (Make/Model:)			
CONTRACTOR CONTRACTOR			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
олу, вине, ште е ви	rdett, KS 67523	Est. Accuracy: $\square < 3$	m, 🔲 3-5 m, 🔲	5-15 m, □ >15 m	
3 LOCATE WELL					
WITH AN "X" IN 4 DEPTH	OF COMPLETED WELL 190	ft.			
SECTION BOX: Depth(s) G	Depth(s) Groundwater Encountered (1)				
N WELL'S S	WELL'S STATIC WATER LEVELtt. below land surface measured on mo/day/yr(-3-1.3				
l l pom trior	Pump test data: Well water wasft. after				
W NW NE E EST. YIELD, N/A gpm. Well water was ft. after hours pumping gpm Bore Hole Diameter 10 in. to ft.					
W					
WELL WATER TO BE SILLY Collected water supply Constitution Characteristics Constitution Collected water supply					
sw se					
Was a chemical/bacteriological sample submitted to Department? Yes V No					
S If yes, mo/day/yr sample was submitted					
Water well disinfected? \(\overline{\mathcal{V}} \) Yes \(\overline{\mathcal{N}} \) No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: ☑ Glued ☐ Clamped ☐ Welded ☐ Threaded					
Casing diameter .5 in. to .190 ft., Diameter in. to					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
Steel Stainless Steel PVC Other (Specify)					
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)					
Louvered shutter					
SCREEN-PERFORATED INTERVALS: From					
CDANEL DACK DITERNA					
GRAVEL PACK INTERVALS: From					
CONCUE MATERIAL. Next comput. Comput. creat. Department. Comput. Compu					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From ft. to ft., From 20 ft., From ft. to ft.					
What is the nearest source of possible contamination:					
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well					
Direction from well West		e from well 30ft			
	DLOGIC LOG FROM	TO LITHO. LC	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0 4 Top soil					
4 45 Tan clay					
45 50 Sand & gravel- m	ed to large		· · · · · · · · · · · · · · · · · · ·	war war and a second a second and a second a	
50 58 Red shale					
58 94 Fire clay	<u> </u>	<u></u>			
94 105 Sandstone			<u></u>		
105 152 Gray shale					
152 183 Sandstone		<u> </u>			
183 190 Fire clay	Commence is a second se			in a second control of the second control of	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \(\subseteq \text{constructed}, \subseteq \text{reconstructed}, \text{or plugged} \)					
under my jurisdiction and was completed on (mo/day/year) .73.13					
under the business name ofRosencrantz-Bemis Ent Inc					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212 Check: White Copy, Deluc Copy, Pink Copy					