	MULL					L RECORD	, , , , , , , , , , , , ,	WC-5 KSA 8				
		ER WELL:		Fraction	/	_		Section Number	er Township		Range N	_
		MAN					SE 1/4		J T 2	s	R 2/	E/ <b>Ø</b>
				-			cated within	city?				
		26 2										
ATÉR W	ELL OW	NER: GA	LLOW	AY D	RILL	ING	CO. INC.		T. LEADL			
St. Addr	ress, Box	(# : <b>340</b>	BAL	OMOWA	PLA	20,10	55.0ROI	<i>nount</i>		-	Division of Water	
State, ZIF	P Code	: W/	CHIT	B, K	5 6	7202			Applicati	on Number:	T84-	884
CATE W	'ELL'S LO SECTION	CATION W							/ATION:			
	SECTION N	BOX.							. 2			
	! ]	!	WE						surface measured			
	w l	NE			-				after			
	ï	1							after			
, L	i	1						8.5ft.	, and	ir	ı. <b>to</b>	<b>.</b>
'	! !	į 🖊	WE	LL WATER	R TO BE	USÉD AS:	5 Public	water supply	8 Air conditioni	ng 11	Injection well	
L_,	ر ا ـ ـ ا	SF		1 Domes	tic	3 Feedlot	6 Oil fie	ld water supply	9 Dewatering	12	Other (Specify	below)
ļ ·	"	1		2 Irrigation		4 Industrial			10 Observation			
	1		<b>j</b> Was	s a chemic	al/bacteri	ological sam	ple submitted	to Department?	YesNo	; If yes	, mo/day/yr sam	iple was sub
			mitte	ed				V	Vater Well Disinfed			
PE OF E	BLANK C	ASING USE			5 <b>W</b> r	ought iron		Concrete tile		OINTS: Glue	d 🛵 Clami	ped
1 Steel			P (SR)		6 As	bestos-Cem	ent 9 0	Other (specify be	low)		led	
2 PVC		4 ABS				erglass					aded	
casing d	diameter	····• <b>5</b> ··	in. t		69	ft., Dia		in. to	ft., Dia		in. to	ft.
				•	in., w	eight			s./ft. Wall thicknes		-	<b>y</b>
	REEN OF	R PERFORA						7 PVC 8 RMP (SR)		sbestos-cem		
1 Steel			nless ste			erglass					)	
2 Brass			vanized s	1/	_	ncrete tile		9 ABS		one used (o <sub>i</sub>	•	
		RATION OPE		• •			auzed wrapp		8 Saw cut		11 None (ope	en nole)
	uous slo	-	3 Mill slo				Vire wrapped		9 Drilled hole			
2 Louver			4 Key pu	unched			orch cut	_	10 Other (spec			
FFN-PFP				_	7 6	••	. O4					
	SFURATE	D INTERVA		From					rom			
			F	From		ft.	to	ft., F. ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ ـ	rom	ft.	to	
		CK INTERV	ALS: I	From From		ft.	to 85		rom	ft. <sup>.</sup>	to to	
GRA	VEL PAG	CK INTERV	ALS: I	From From From	55	ft. ft. ft.	to <b>8-5</b> to <b>8-5</b>	ft., F	rom	ft. ft. ft.	to to to	
GRA	VEL PAG	CK INTERV	ALS: I Beat ceme	From From From		ft.	to 8-5. to 3.	ft., F. ft., F	rom	ft. ft. ft.	to to to	
GRA	AVEL PAG	CK INTERV	ALS: I eat ceme	From From From ent	2 Cen	ft.	to 85 to	ft., F  ft., F  Bentonite  ft. to	rom	ft. ft. ft.	tototo	
GRA ROUT MA	AVEL PAGE ATERIAL s: From	: 1 Nm	ALS: If	From From From ent o// amination:	2 Cen	ft.  ft.  ft.  nent grout  t., From	to <b>8.5</b> to 3.	ft., F  ft., F  Bentonite  ft. to	rom	ft. ft.	tototototo	
GRA	ATERIAL s: From	: 1 N n	ALS: I eat ceme	From From From ent o// amination:	2 Cen	ft.	to <b>8.5</b> to 3.	ft., F  ft., F  Bentonite  ft. to	rom	ft.	tototo	
GRA ROUT MA t Intervals t is the ne 1 Septic 2 Sewer	ATERIAL s: From earest so tank lines	: 1 N n	ALS: If eat cemeft. to sible cont Lateral lin Cess poo	From From From ent o / O amination: es	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy	to	ft., F  Bentonite  ft. to	rom	ft.	tototototo	
GRA ROUT MA t Intervals t is the ne 1 Septic 2 Sewer	ATERIAL s: From earest so tank r lines tight sew	: 1 N nO. urce of poss	ALS: If eat cemeft. to sible cont Lateral lin Cess poo	From From From ent o / O amination: es	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	ft.	tototototo	
GRA ROUT MA Intervals is the ne 1 Septic 2 Sewer 3 Watert	ATERIAL s: From earest so tank r lines tight sew	: 1 N nO. urce of poss	eat cemeft. to sible cont. Lateral lin Cess pool	From From From ent o / O amination: es	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	ft.	tototottotto	
GRA ROUT MA Intervals is the ne 1 Septic 2 Sewer 3 Watert tion from	ATERIAL s: From earest so tank lines tight sew well?	: 1 NmO urce of poss 4 I 5 (er lines 6 S	eat cemeft. to sible cont Lateral lin Cess pool	From From From ent o amination: ees I pit	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	14 A	tototottotto	
GRA  ROUT MA  Intervals is the ne 1 Septic 2 Sewer 3 Watert tion from	ATERIAL s: From earest so tank lines tight sew well? TO	turce of pose er lines 6 s	eat cemeft. to sible cont Lateral lin Cess pool	From From From ent o amination: ees I pit	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	14 A	tototottotto	
GRA  ROUT MA Intervals is the ne 1 Septic 2 Sewer 3 Watert ion from	ATERIAL s: From earest so tank lines tight sew well? TO	turce of pose er lines 6 s	eat cemeft. to sible cont Lateral lin Cess pool	From From From ent o amination: ees I pit	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	14 A	tototottotto	
GRA  ROUT MA Intervals is the ne 1 Septic 2 Sewer 3 Watert ion from	ATERIAL s: From earest so tank lines tight sew well? TO	: 1 NmO urce of poss 4 I 5 (er lines 6 S	eat cemeft. to sible cont Lateral lin Cess pool	From From From ent o amination: ees I pit	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	14 A	tototottotto	
GRA OUT MA Intervals is the ne 1 Septic 2 Sewer 3 Watert ion from	ATERIAL s: From earest so tank lines tight sew well? TO	turce of pose er lines 6 s	eat cemeft. to sible cont Lateral lin Cess pool	From From From ent o amination: ees I pit	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	14 A	tototottotto	
GRA  ROUT MA Intervals is the ne 1 Septic 2 Sewer 3 Watert tion from	ATERIAL s: From earest so tank lines tight sew well? TO	turce of pose er lines 6 s	eat cemeft. to sible cont Lateral lin Cess pool	From From From ent o amination: ees I pit	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	14 A	tototottotto	
GRA OUT MA Intervals is the ne 1 Septic 2 Sewer 3 Watert ion from	ATERIAL s: From earest so tank lines tight sew well? TO	turce of pose er lines 6 s	eat cemeft. to sible cont Lateral lin Cess pool	From From From ent o amination: ees I pit	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	14 A	tototottotto	
GRA  ROUT MA Intervals is the ne 1 Septic 2 Sewer 3 Watert ion from	ATERIAL s: From earest so tank lines tight sew well? TO	turce of pose er lines 6 s	eat cemeft. to sible cont Lateral lin Cess pool	From From From ent o amination: ees I pit	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	14 A	tototottotto	
GRA OUT MA Intervals is the ne 1 Septic 2 Sewer 3 Watert ion from	ATERIAL s: From earest so tank lines tight sew well? TO	turce of pose er lines 6 s	eat cemeft. to sible cont Lateral lin Cess pool	From From From ent o amination: ees I pit	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	14 A	tototottotto	ft. ft. ft. or well
GRA  ROUT MA Intervals is the ne 1 Septic 2 Sewer 3 Watert ion from	ATERIAL s: From earest so tank lines tight sew well? TO	turce of pose er lines 6 s	eat cemeft. to sible cont Lateral lin Cess pool	From From From ent o amination: ees I pit	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	14 A	tototottotto	ft. ft. ft. or well
GRA  ROUT MA  Intervals is the ne 1 Septic 2 Sewer 3 Watert tion from	ATERIAL s: From earest so tank lines tight sew well? TO	turce of pose er lines 6 s	eat cemeft. to sible cont Lateral lin Cess pool	From From From ent o amination: ees I pit	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	14 A	tototottotto	
GRA  ROUT MA Intervals is the ne 1 Septic 2 Sewer 3 Watert tion from	ATERIAL s: From earest so tank lines tight sew well? TO	turce of pose er lines 6 s	eat cemeft. to sible cont Lateral lin Cess pool	From From From ent o amination: ees I pit	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	14 A	tototottotto	ft. ft. ft. or well
GRA ROUT MA t Intervals is the ne 1 Septic 2 Sewer 3 Watert tition from	ATERIAL s: From earest so tank lines tight sew well? TO	turce of pose er lines 6 s	eat cemeft. to sible cont Lateral lin Cess pool	From From From ent o amination: ees I pit	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	14 A	tototottotto	
GRA ROUT MA t Intervals is the ne 1 Septic 2 Sewer 3 Watert tition from	ATERIAL s: From earest so tank lines tight sew well? TO	turce of pose er lines 6 s	eat cemeft. to sible cont Lateral lin Cess pool	From From From ent o amination: ees I pit	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	14 A	tototottotto	
GRA ROUT MA t Intervals is the ne 1 Septic 2 Sewer 3 Watert tition from	ATERIAL s: From earest so tank lines tight sew well? TO	turce of pose er lines 6 s	eat cemeft. to sible cont Lateral lin Cess pool	From From From ent o amination: ees I pit	2 Cen	ft. ft. ft. nent grout t., From 7 Pit privy 8 Sewage	to	ft., F  tt., F  Bentonite  ft. to	rom	14 A	tototottotto	
GRA ROUT MA Intervals is the ne 1 Septic 2 Sewer 3 Watert tion from	ATERIAL s: From earest so tank lines tight sew well? TO	CK INTERVALUE 1 No	eat cemeft. to sible cont. Lateral lin Cess pool Seepage	From Fr	2 Cen	this water w	to	montput of the first of the fir	rom	14 A 15 C 16 C 16 C 17 C 17 C 17 C 17 C 17 C 17	tototototo	ion and was
GRA ROUT MA Intervals is the ne 1 Septic 2 Sewer 3 Watert tion from DM	ATERIAL s: From earest so tank lines tight sew well? TO	CK INTERVALUE 1 No	eat cemeft. to sible cont Lateral lin Cess pool Seepage L	From Fr	2 Cen	this water w	to	montput of the first of the fir	rom	14 A 15 C 16 C 16 C 17 C 17 C 17 C 17 C 17 C 17	tototototo	ion and was
GRA ROUT MA Intervals is the ne 1 Septic 2 Sewer 3 Watert tion from DM C C C C C C C C C C C C C C C C C C	ATERIAL s: From earest so tank lines tight sew well? TO 150 800 CTOR'S C (mo/day/	CK INTERVALUE 1 No	eat cemeft. to sible cont Lateral lin Cess pool Seepage	From Fr	2 Cen	this water w	to	montput of the first of the fir	rom	14 A 15 C 16 C 16 C 17 C 17 C 17 C 17 C 17 C 17	tototototo	ion and was
GRA ROUT MA I Intervals is the ne 1 Septic 2 Sewer 3 Watert tion from DM CONTRAC leted on in r Well Co	ATERIAL s: From earest so tank lines tight sew well? TO 150 800 CTOR'S C (mo/day/ ontractor's	CK INTERVALUE 1 No	eat ceme ft. to sible cont Lateral lin Cess pool Seepage L	From	2 Cen 2 Cen 1 HOA IC LOG	this water w	to \$ .5. to 3 e lagoon rd FRO ell was (1) content well Reco	Donstructed, (2) red and this red was complete	rom	tt. ft. ft. ft. ft. ft. ft. ft. ft. ft.	der my jurisdict	ion and was elief. Kansas
GRA  ROUT MA Intervals is the ne 1 Septic 2 Sewer 3 Watert tion from DM C ONTRAC leted on Well Co the busi RUCTION	ATERIAL s: From earest so tank lines tight sew well? TO  STOR'S C (mo/day/ ontractor's iness nar NS: Use	CK INTERVALUE 1 No	eat cemeft. to sible cont Lateral lin Cess pool Seepage L VNER'S C ball point	From Fro	2 Cen  1 Con  1	his water water SS FIRML	ell was (1) conter Well Reco	Distructed, (2) read this red was complete by (signification).	rom	tt. ft. ft. ft. ft. ft. ft. ft. ft. ft.	der my jurisdict nowledge and be correct answer	ion and was elief. Kansas