WATER WELL RECORD			Form WWC-5	Division of Wate	er Resources; App. No.	HG-8	
		F WATER WELL:	Fraction	Section Number	Township Number	Range Number	
	ounty: Hod		NW 1/4 NW 1/4 SW 1/4	25	T 21 S	R 21 X /W	
	Distance and direction from nearest town or city street address of well if located within city? Global Positioning Systems (decimal degrees, min. of 4 digits Latitude:						
1		•					
	2½ North, 2½ East of Gray WATER WELL OWNER: BANKXXXXXXX Haun, Inc			Longitude: Elevation:			
1	R#, St. Addre		231 Road	Datum:			
	ity, State, ZIP			Data Collection	Method:		
3 L	OCATE WEI	·	PLETED WELL124				
	OCATE WE	JES 4 DEI III OF COM	ELIED WELL				
	ITH AN "X"	IN Depth(s) Groundwater	Encountered (1)	ft. (2)	ft. (3)	ft.	
S	ECTION BO	X: WELL'S STATIC WA	WELL'S STATIC WATER LEVEL22 ft. below land surface measured on mo/day/yr7-2-Q9				
	N		: Well water was72ft5				
Г	Est. Yield1100gpm: Well water was77ft. after4 hours pumping1100gpm						
-	WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
w L		E 1 Domestic 3 Fee					
A		2 Irrigation 4 Ind	ustrial 7 Domestic (lawn	& garden) 10 Moi	intoring well		
-	SW SE Was a chemical/bacteriological sample submitted to Department? Yes NoX; If yes, mo/day/yrs						
L	Sample was submitted						
	S	P • • • • • • • • • • • • • • • • • • •					
5 T	VPE OF CAS	ING USED: 5 Wrought	Iron 8 Concrete tile	CASING	G JOINTS: Glued	X Clamped	
				y below)	Welded	Clampea	
	2 PVC	4 ABS 7 Fiberglass			Threaded		
Blank casing diameter							
Casii	ng height abov	e land surface24	in., WeightSch40	lbs./ft. Wall thic	ckness or guage No		
TYP		N OR PERFORATION MATE					
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From124 ft. to20 ft., From ft. to ft.							
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other hole plug							
Grout Intervals: From							
What is the nearest source of possible contamination:							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify							
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas wellNone							
		1?					
FRO		LITHOLOGIC	LOG FROM	M TO	PLUGGING INT	ERVALS	
	76	Top soil & clay					
76		Sand & gravel					
98		Clay					
104	4 124	Sand & gravel					
		THE STATE OF THE S	11-14-MARA				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year)7609 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No134 This Water Well Record was completed on (mo/day/year)8-1-09							
under the business name of Rosencrantz- Bemis by (signature) down							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top							
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at							

http://www.kdheks.gov/waterwell/index.html.