		WATER	WELL RECORD	Form WWC-5	KSA 82a-	1212 I	PLUGGING	REPORT		
LOCATION OF W	ATER WELL:	Fraction		Sec	tion Number	Township	Number	Range Number		
County: Hada	eman	SW 1/4	NW 1/4 SW	1/4	1	T 21	S	R 22 ₹ /V	<u> </u>	
			dress of well if locate	d within city?						
	,1 east of I	Hanston, Ks.								
2 WATER WELL C		ľ	or.M.G. Kirby					D: : :		
RR#, St. Address, E			3800 19th St.			Board of Agriculture, Division of Water Resources				
City, State, ZIP Cod	e :					Application Number: LEVATION:				
LOCATE WELL'S AN "X" IN SECTI	LOCATION WITH									
AN A IN SECTI	N BOX.							3		
ī !!	!	l .						.9-7-94	t t	
NW	_ - NE							ımping g		
								umping g		
# w !						ınd <i></i>		n. to	ft.	
. ₩	! ! !	WELL WATER TO		5 Public water		8 Air condition		Injection well	9	
		1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12	Other (Specify below)	-	
-4 3" -	- %	2 Irrigation	4 Industrial	7 Lawn and g	garden only 1	0 Monitoring v	vell		[
i		Was a chemical/b	acteriological sample :	submitted to D	epartment? Ye	sNo	; If yes	, mo/day/yr sample was	sub-	
I	\$	mitted			Wat	er Well Disinfe	cted? Yes	No		
5 TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	ete tile	CASING .	JOINTS: Glue	d Clamped		
1_Steel_	3 RMP (S	R)	6 Asbestos-Cement	9 Other	(specify below	')	Weld	led		
2 PVC	4 ABS		7 Fiberglass				Thre	aded		
Blank casing diamet	e ⊱10w16	.in. to	ft., Dia	in. to		ft., Dia		in. to	. ft.	
Casing height above	land surface	3'	in., weight		lbs./f	t. Wall thicknes	ss or gauge N	lo		
YPE OF SCREEN OR PERFORATION MATERIAL:				С	C 10 Asbestos-cement					
1 Steel	1 Steel 3 Stainless steel			5 Fiberglass 8 RMP			P (SR) 11 Other (specify)			
2 Brass				5 Concrete tile 9 ABS			12 None used (open hole)			
SCREEN OR PERF	SCREEN OR PERFORATION OPENINGS ARE:			ed wrapped		8 Saw cut		11 None (open hole)		
1 Continuous s	siot 3 M	fill slot	6 Wire wrapped			9 Drilled holes				
2 Louvered sh	utter 4 K	ey punched	7 Torch	cut	•	10 Other (spe	cify)	<i>j. p</i> T		
SCREEN-PERFORA	TED INTERVALS:	From /	/ [1] 	$\mathcal{N}^{\mathcal{F}}$	ft., Fron	n	ft.	to	ft.	
		From						to		
GRAVEL F	PACK INTERVALS:							to	1 7	
		From	ft. to		ft., Fron	n	ft.	to	ft.	
6 GROUT MATERI	AL: 1 Neat	cement 2	Cement grout							
Grout Intervals: F	rom	. ft. to	ft., From	ft.	to	ft., From		ft. to	ft.	
What is the nearest	source of possible	contamination:			10 Livest	ock pens	14 #	bandoned water well		
1 Septic tank	1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel s		15 C	Dil well/Gas well		
2 Sewer lines			8 Sewage lago			tilizer storage 16 0		Other (specify below)	(
	ewer lines 6 Seep	•	9 Feedyard			icide storage			\$	
Direction from well?		5.	,		How man	•				
FROM TO		LITHOLOGIC L	.OG	FROM	то		PLUGGING	INTERVALS	\Box ,	
108 48½	Sand and	d gravel								
48½ 3	Cement				L					
			., , ,							
		And the second s								
									- '	
			The second secon						i	
					l					
					†	The second of th				
			- A 1844		t -					
								and the second state of the second se	ì	
				L	L L					
		R'S CERTIFICATIO						der my jurisdiction and	1	
completed on (mo/da	• • •	10-19-94					best of my kr 10-25	nowledge and belief. Kan 5-97	ısas	
Water Well Contract	n		This Water W	ell Record wa		· ·	10-2),) , 1	<u>ئ</u> ے	
under the business r	name of Rose	ncrantz-Bem	LS		by (signate	ure) Me	air K	oason		
INSTRUCTIONS: Use of Health and Enviro	typewriter or ball point nment, Bureau of Water,	pen. <i>PLEASE PRESS FII</i> Topeka, Kansas 66620	RMLY and PRINT clearly. Ple -0001. Telephone: 913-296-5	ease fill in blanks, 545. Send one to	underline or circle WATER WELL OW	the correct answer: NER and retain on	s. Send top three e for your record	copies to Kansas Department s.	,	