WATER WELL RECORD Form WV	WC-5	Division of Water	Resources App. No	
1 LOCATION OF WATER WELL: Fraction		Section Number	Township No.	Range Number
County: Hodgeman Sw45W45E	1/4 DE 1/4		TAIS	R <b>å4</b> □E <b>X</b> W
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here				
12 N from Jetwore on 283 to 2d. X /4W Longitude: 13. 138. (in decimal degrees)				
Elevation: 2895 A.				
		Datum: WGS 84, NAD 83, NAD 27		
2 WATER WELL OWNER: Lynn Goebel		Collection Method:		
RR#, Street Address, Box #: R2 2		☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
City, State, ZIP Code : Jehnove, KS 67854 Digital Map/Photo, Topographic Map, Land Survey  Est. Accuracy: 3 m, 3-5 m, 5-15 m, >15 m				
2 LOCATE WELL				
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL				
SECTION BOX: Depth(s) Groundwater Encountered (1)				
N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr				
Pump test data: Well water wasft. after				
W -NW - NE - EST. YIELD 50. gpm. Well water was				
W   E   Bore Hole Diameterin. to				
Domestic				
Irrigation Industrial Domestic-lawn & garden Monitoring well				
Was a chemical/bacteriological sample submitted to Department?  Yes No				
S If yes, mo/day/yr sample was submitted				
Water well disinfected? Yes No				
5 TYPE OF CASING USED: Steel X PVC Other				
CASING JOINTS: Glued Clamped Welded Threaded				
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft.				
Casing height above land surface				
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Specify 20 CentralizerS				
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE:				
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)				
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)				
SCREEN-PERFORATED INTERVALS: From	t. to <b>369</b>	ft., From	ft. t	o ft.
From f	t. to	ft., From	ft. t	ofL
GRAVEL PACK INTERVALS: From 30 f				
From				
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other				
What is the nearest source of possible contamination:				
· — · · — — —	Livestock pen	ıs 🔲 İnsecticide	storage  Othe	er (specify below)
	Fuel storage	Abandoned	water well	
,	Fertilizer store	-	s well	ONE
Direction from well	Distance fro			CODIO DIFFERENCIALO
FROM TO LITHOLOGIC LOG				GGING INTERVALS
O 20 Top Soil, yellow Clay Rock layers		80 Sand	Stone	
20 35 Gray Clay Pock layers		∞ Sand	Stone	
35 120 Blue Shale		20 Sand	Stone	
120 150 Blue Clay 150 160 Sand Stone		40 Sam	Stone Stone	
160 180 Sand stone, Gray Clay Layer	202 2	0 Gray,	Red Clay	
200 220 Sand Stone				
220 240 Sand Stone				
240 also Sand Stone				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🔀 constructed, 🗌 reconstructed, or 🗌 plugged				
under my jurisdiction and was completed on (mo/day/year) 5-8-2012 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License Nobile 19 This Water Well Record was completed on (mo/day/year) 5.20-2012				
under the business name of . Nash Water Well Service	LLC.	by (signature) .	belle 3.4	lash
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY	and PRINT clear	y. Please fill in blanks	and check the correct	answers. Send three copies
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				
http://www.kdbeks.gov/waterwell/index.html.				