

USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.


HORSE THIEF CANYON NE

T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

CDA

1 Location of well:	County Hodgeman	Township name North Roscoe SW 1/4	Fracture NE 1/4 SE SW	Section number I 7	Town number T2IS	Range number R25W																										
Distance and direction from nearest town or city: 9 Miles North II Miles West Of Jetmore				3 Owner of well: John Sinclair Address: Jetmore, Kansas 67854																												
Locate with "X" in section below: 			Sketch map: 35 Rods From South Line 74 Rods From West Line			4 Well depth: 67 ft. Date of completion Sept Well diameter 28 in.																										
2 Type and color of material <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:70%;">Type and color of material</th> <th style="width:10%;">From</th> <th style="width:20%;">To</th> </tr> </thead> <tbody> <tr> <td>Sand</td> <td>30</td> <td>40</td> </tr> <tr> <td>Clay</td> <td>40</td> <td>45</td> </tr> <tr> <td>Sand</td> <td>45</td> <td>63</td> </tr> <tr> <td colspan="3" style="text-align:center;">BROCK 63'</td> </tr> <tr> <td colspan="3" style="text-align:center;">27</td> </tr> <tr> <td colspan="3" style="text-align:center;">36' sat thick</td> </tr> <tr> <td colspan="3" style="text-align:center;">in Alluvium</td> </tr> <tr> <td colspan="3" style="text-align:center;">(use a second sheet if needed)</td> </tr> </tbody> </table>			Type and color of material	From	To	Sand	30	40	Clay	40	45	Sand	45	63	BROCK 63'			27			36' sat thick			in Alluvium			(use a second sheet if needed)			5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary		
			Type and color of material	From	To																											
			Sand	30	40																											
			Clay	40	45																											
			Sand	45	63																											
			BROCK 63'																													
			27																													
			36' sat thick																													
			in Alluvium																													
			(use a second sheet if needed)																													
			6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/>																													
			7 Casing: Material Steel Height: <input checked="" type="checkbox"/> above <input type="checkbox"/> below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. Diam. 16 in. to 68 ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No 16 in. to 68 ft. depth																													
			8 Screen: Manufacturer Doerr Type Steel Dia. 16 Slot/gauze 3/16 Length 40 Set between 27 ft. and 67 ft. Fittings: Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material 1 to 1/4																													
			9 Static water level: 27 ft. below land surface Date Sept																													
			10 Pumping level below land surfaces: 60 ft. after 6 hrs. pumping 400 g.p.m. ____ ft. after ____ hrs. pumping ____ g.p.m. Estimated maximum yield 450 g.p.m.																													
			11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date ____																													
			12 Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade																													
			13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From 0 ft. to 12 ft.																													
			14 Nearest source of possible contamination: ft. ____ Direction ____ Type ____ Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No																													
			15 Pump: <input type="checkbox"/> Not installed Manufacturer's name Western Land Roller Model number ____ HP 20 Volts 230 Length of drop pipe 60 ft. capacity 400 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other																													
16 Remarks: elevation Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input checked="" type="checkbox"/> Valley TOPO			2330 63 22670			17 Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Knoefler Bros. Business name License No. 130 Address Jetmore Signed Dale Knoefler Date Sept 27 Authorized representative																										

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

Form WWC-5