

USE TYPEWRITER OR BALL POINT PEN—PRESS FIRMLY, PRINT CLEARLY.

HORSE TREE CANYON NW

T R EW sec 1/4 1/4 1/4 No.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas State Dept. Of Health
(Water Well Contractors)
Forbes-Bldg. 740
Topeka, Kansas 66620

AAB

1 Location of well:	County Hodgeman	Township name North Roscoe NE 1/4	Fraction NW NE	Section number 35	Town number T21S	Range number R26W
Distance and direction from nearest town or city: 13 Miles West			3 Owner of well: Tony Jones			
Street address of well location if in city: 7 Miles North of Jetmore,			Address: Jetmore, Kansas 67854			
Locate with "X" in section below:		Sketch map:		4 Well depth: 68 ft. Date of completion Sept		
		NE 1/4 NE 1/4 450 Ft From North Line 25 Ft From West Line		Well diameter 26 in.		
2		Type and color of material	From	To	5 <input type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
		Sand	30	58	6 Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Commercial <input type="checkbox"/> Test well <input type="checkbox"/>	
		Clay Blue	58	60	7 Casing: Material Steel Height: above/below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. Diam. 16 Weight 31 1/2 lbs./ft. L in. to ft. depth Drive shoe? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No in. to ft. depth	
		Sand	60	67	8 Screen: Doerr Manufacturer _____ Type Steel Dia. 16 Slot/gauze 3/16 Length 40 Set between 28 ft. and 68 ft. Fittings: Gravel pack <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Size range of material 1 to 1	
		BROCK 58' 22"			9 Static water level: 2637 ft. below land surface Date Sept	
		33			10 Pumping level below land surfaces: 55 ft. after 6 hrs. pumping 400 g.p.m. ft. after hrs. pumping g.p.m. Estimated maximum yield 450 g.p.m.	
		25' sat. thurt.			11 Water sample submitted: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Date _____	
		in Alluvium			12 Well head completion: <input type="checkbox"/> Pitless adapter 12 inches above grade	
					13 Well grouted? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Depth: From 0 ft. to 10 ft.	
					14 Nearest source of possible contamination: ft. Direction Type Well disinfected upon completion? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
					15 Pump: <input type="checkbox"/> Not installed Manufacturer's name Western Land Roller Model number _____ HP 20 Volts 230 Length of drop pipe 60 ft. capacity 400 g.m.p. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
16 Remarks: elevation		2370 (TOP)		17 Water well contractor's certification:		
Topography: <input type="checkbox"/> Hill <input type="checkbox"/> Slope <input type="checkbox"/> Upland <input checked="" type="checkbox"/> Valley		58 2320		This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Knoefler Bros. Business name Jetmore, license No. 130 Address Jetmore, Signed Dale Knoefler Date Sept 27 Authorized representative		

Forward the white, blue and pink copies to the Kansas State Dept. Of Health.

Form WWC-5