WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)
Topeka, Kansas 66620

| | County | Fraction | | Castian | number | Township number | Range number | |
|------------------------------|---------------------------------------|--------------------------|---------|--------------|----------|--|--|---------------------------|
| 1. Location of well: | 1. ' | | Mahu | 5 | A | 13, | . I s | |
| ⊉ . Distance and dire | ection from nearest town or city: (a) | F 9 6 0 | | ner of wel | i Ra | V Pine | <u>۱۲ - </u> | - EW |
| | • | F 423 | R.R. o | r street: | BRI | x seime | 7,5 | |
| orreet address of well | Il location if in city: In m | on 1 | City, s | state, zip | code: [- | Buhler Ks |) | |
| 4. Locate with "X" | in section below: | Sketch map: | | | | 6. Bore hole dia. 10 ft. | n. Completion date | 76 |
| <u> </u> | ·· | | | | | 7 Cable tool | | |
| X,w | NE | | | | | Hollow rodJette | | rse rotary |
| w | L E | | | | | 8. Use: X Domestic | | · 1 |
| " | | | | | | | Air conditioning Sta Oil field water Ot | ther |
| SW | SE | | | | | 9. Casing: Material | Height: Boys or b | elow |
| | <u> </u> | | | | | Threaded Welded RMP PVC | iSurface Sch Sch | in. 2 lbs./ft. |
| | Mile ———— | | | | | Dia 3 in. to 100ft. de | epth Wall Thickness; inc | ches or |
| 5. Type and color o | of material | | | From | То | Dia in. to ft. de | | |
| 7, | s Poll | | | 10 | 3 | 10. Screen: Manufacturer's | via Des | व |
| | 7, 2017 | | | بن | ر | Type | Dia | |
| y &_ | 110W Clay | , | | 13, | 22 | Set between | ft. and <i></i> | ft. |
| 1 4: | ne Sand | | | 22 | 35 | Gravel pack? Y Size | andrange of material | - 3-5t. |
| 1/0/ | View Rod | clay | | 3.5 | 17 | X. Static water level: | Or mer | /day/yr. |
| 901 | A I | - Cray | | 00 | 2 | ft. below land s | | 76 |
| <u> </u> | he Jand | | | <u>ک</u> ک | × 6 | 12. Pumping level below to | | g.p.m. |
| | Ped Cla | · V | | 56 | 26 | ft. after Estimated maximum yield _ | . hrs. pumping | g.p.m. |
| M | ed ium | Sand | | 26 | 96 | 13. Water sample submitted | : mo. | _g.p.m. /day/yr. |
| | Bray Cla | | | 98 | /23 | Yes Y No | Date | |
| <u>C</u> | Tray | | | 10 | 100 | 14. Well head completion: | Inches above | grade |
| | | | | | | 15. Well grouted? | | |
| | | | | | | With: Neat cement Depth: From ft. to | | Concrete |
| | | | | | | 16. Negrest source of possi | ble contamination: | IWOR |
| | | | | | | ft. Direction Well disinfected upon comp | lype | No No |
| | | | | - | - | 17. Pump: | Not installed | |
| | | | | | | Manufacturer's name | | |
| | | | | | | Model number | — HP — Vol — ft. capacity — | g.p.m. (|
| | | | | | | Туре: | | |
| | | | | | | Submersible Jet | Turbine Recipro | l l |
| | T | sheet if needed) | | | | Centrifugal | Other | |
| 8. Elevation: | 19. Remarks: | | | | | 20. Water well contractor! This well was drilled under | | report |
| Tanagrank | | | | | | is true to the best of my kno | | |
| Topography: Hill | | | | | | Backhu. | Dry 100 | ense No. |
| Slope | | | | | | Address Jampa | Ky | <u>~</u> ~ |
| 1/ | | | | | | Signed Jan B | Date Date | |
| Upland Valley | | | | | | Authorized re | epresentative $\mathscr{G} = \mathscr{G}$ | 7/1 |
| Valley | lue and pink copies to the Department | of Health and Environmen | • | | | Authorized re | epresentative 9 2 | C-5 |